



# JPR-961<sup>Q&As</sup>

Juniper Networks Certified Internet Expert (JNCIE-SP)

**Pass Juniper JPR-961 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/jpr-961.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

You have recently added a Windows Server Web Edition system to your company's private network. The server is used to host the company's private Web site. Users are complaining that response time is often slow. You want to analyze the

traffic coming to and from the Web server.

What should you do?

- A. Open Task Manager and use the Networking tab to gather network statistics.
- B. Open System Monitor to capture and analyze network traffic.
- C. Open Network Diagnostics to analyze the traffic coming to and from the Web server.
- D. Install Network Monitor on the Web server to capture and analyze network traffic.

Correct Answer: D

---

### QUESTION 2

The ABC.com network consists of a single Active Directory domain named ABC.com. All servers on the ABC.com network run Windows Server and all client computers run Windows XP Professional.

A domain controller named ABC-DC1 is configured as a DNS server. DC1 hosts the DNS zone for the ABC.com internal LAN.

An external DNS server named ABC-DNS1 hosts the DNS zone for the ABC.com external website and is configured with root hints. ABC-DNS1 is outside of the network firewall.

You need to protect the client computers by minimizing the risk of DNS-related attacks from the Internet, without impacting on their access to Internet-based sites.

How should you configure the DNS servers and client computers?

- A. DNS forwarding should be configured on ABC-DNS1 for ABC-DC1 and client computers must be configured to use ABC-DC1.
- B. The firewall should be configured to block all DNS traffic.
- C. DNS forwarding should be configured on ABC-DC1 for ABC-DNS1 and client computers must be configured to use ABC-DNS1.
- D. A root zone should be added to ABC-DC1 and client computers must be configured to use ABC-DC1.

Correct Answer: A

---

### QUESTION 3

Your firm is designing a new software driver that will employ a proprietary method of flow control for data being sent



across a network medium. On which layer of the OSI model would be this flow control likely be implemented?

- A. Application
- B. Data Link
- C. Transport
- D. Media Access Control

Correct Answer: B

---

#### QUESTION 4

You work as the network administrator at ABC.com. The ABC.com network has a domain named ABC.com. The servers at the ABC.com network run Windows Server. ABC.com has a subsidiary named Test Labs, Inc. that has a domain named testlabs.com.

The ABC.com network has a DNS server named ABC-SR05. ABC-SR05 acts as a secondary zone for testlabs.com

What actions must you take to track when the DNS server at Test Labs, Inc. sends notifications of modifications in the zone of testlabs.com to ABC-SR05?

- A. You must run the gpresult command in verbose mode.
- B. You must select debug logging and set the log to store Notification events on ABC- SR05.
- C. You must run the secedit command in analysis mode.
- D. You must configure a two-way initiated demand-dial connection.

Correct Answer: B

---

#### QUESTION 5

You administer a Windows Server Active Directory domain for your company. The domain is divided into two subnets. Subnet A uses the network address 192.168.12.0/24, and Subnet B uses the network address 192.168.14.0/24. All domain

controllers and member servers are Windows Server computers, and all clients are Windows 2000 Professional computers.

Clients in Subnet A obtain TCP/IP settings from a DHCP server named DHCPA, which resides in Subnet A. Clients in Subnet B cannot obtain DHCP settings at all, even though you configured a scope for Subnet B on DHCPA. Your need to

enable clients on SubnetB to automatically obtain TCP/IP settings from DHCPA.

What should you install on Subnet B?

- A. a primary DNS server



- B. an SUS server
- C. a DHCP relay agent
- D. a master DNS server
- E. an SMTP server

Correct Answer: C

[Latest JPR-961 Dumps](#)

[JPR-961 VCE Dumps](#)

[JPR-961 Braindumps](#)