



MAGENTO2-CERTIFIED-ASSOCIATE-DEVELOPER^{Q&As}

Magento 2 Certified Associate Developer

Pass Magento MAGENTO2-CERTIFIED-ASSOCIATE-DEVELOPER Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/magento-2-certified-associate-developer.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Magento
Official Exam Center



VCE & PDF

GeekCert.com

<https://www.geekcert.com/magento-2-certified-associate-developer.html>
2024 Latest geekcert MAGENTO2-CERTIFIED-ASSOCIATE-DEVELOPER
PDF and VCE dumps Download

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

How do you obtain customer information in a JavaScript module?

- A. Magento does not expose customer information in JavaScript for security reasons
- B. By sending an AJAX request to the url: /customer/account/info/?json=1
- C. By using `customerData.get('customer')` call, where `customerData` is an instance of `Magento_Customer/js/customer-data`
- D. Customer information is available in `localStorage` and be retrieved by calling `window.localStorage.getItem('customer')`

Correct Answer: C

Reference: <https://belvg.com/blog/customer-data-management-in-magento-2.html>

QUESTION 2

In a code review of a merchant's site you have discovered that there are multiple observers for the `checkout_submit_all_after` event. After closer inspection, you notice one of these observers is relying on the others being executed before it is called.

What risk does this pose, and how can it be mitigated?

- A. There is no risk posed as long as each event observer specifies a correct `sortOrder`. Nothing needs to be changed.
- B. Event observers are fired in alphabetical order of the observer name. There is no risk here.
- C. Magento only supports one observer per event. These observers will need to be combined into a single point of customization.
- D. Order of listener execution cannot be guaranteed, resulting in a fragile implementation. This code should be re-worked using plugins

Correct Answer: B

Reference: <https://magento.stackexchange.com/questions/373/magento-observer-events-order-ofoperations>

QUESTION 3

You are building a report using complex SQL aggregations to locate the required data.

In what type of class do you put these SQL statements?

- A. Resource model
- B. Repository



C. Model

D. Helper

Correct Answer: C

QUESTION 4

You are creating a new page layout for your custom module.

What is the primary difference between container and block elements?

- A. They extend different abstract classes
- B. A container's children are rendered automatically
- C. Only containers can be removed by name or alias
- D. A block's position within the layout can be altered

Correct Answer: B

Reference: <https://magento.stackexchange.com/questions/256478/what-is-the-functional-difference-ofblock-container-in-magento-2>

QUESTION 5

You have created a module with a custom ACL resource and want to restrict access to resources of your module.

Which three items are restricted based on ACL role permissions? (Choose three.)

- A. CLI Commands
- B. Webapi resources
- C. Storefront login
- D. System configuration sections
- E. Adminhtml controllers

Correct Answer: CDE

Reference: <https://www.mageplaza.com/magento-2-module-development/magento-2-acl-access-controllists.html>

[Latest MAGENTO2-CERTIFIED-ASSOCIATE-DEVELOPER Dumps](#)

[MAGENTO2-CERTIFIED-ASSOCIATE-DEVELOPER PDF Dumps](#)

[MAGENTO2-CERTIFIED-ASSOCIATE-DEVELOPER Braindumps](#)