



# MAGENTO-CERTIFIED-PROFESSIONAL-CLOUD-DEVELOPER<sup>Q&As</sup>

Magento Certified Professional Cloud Developer

**Pass Magento MAGENTO-CERTIFIED-PROFESSIONAL-CLOUD-DEVELOPER Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/magento-certified-professional-cloud-developer.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Magento Official Exam Center



VCE & PDF

GeekCert.com

<https://www.geekcert.com/magento-certified-professional-cloud-developer.h>  
2024 Latest geekcert MAGENTO-CERTIFIED-PROFESSIONAL-CLOUD-  
DEVELOPER PDF and VCE dumps Download

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

Your team is working on two major changes affecting the product page and you want the ability to implement and test these changes in parallel. Your company is using the Pro plan

How do you achieve this using the Project Web UI?

- A. Create branches from Production to ensure the catalog is up to date
- B. Create branches from Integration to facilitate merging
- C. Create branches from the Magento Cloud Docker image to ensure the changes are made on the most recent codebase
- D. Create branches from Staging to ensure the changes are tested on an environment similar to Production

Correct Answer: B

---

### QUESTION 2

Your company decided to move a Magento store to a subdomain <https://shop.company.com/> and redirect traffic from the old URL <https://company.com/> to the new one. Your company is using the Starter plan.

How do you implement the redirect?

- A. Configure a rewrite rule in the .htaccess file in the pub folder.
- B. Submit a support ticket to add the redirect on the web-server level.
- C. Add a route using the MAGENTO\_CLOUD\_ROUTES environment variable.
- D. Add a route into the .magento/routes.yaml configuration file.

Correct Answer: D

Reference: <https://devdocs.magento.com/cloud/project/project-routes-more-redir.html>

---

### QUESTION 3

A project has a Magento cron job implemented to export new order data to a file. This process can also be triggered by a custom bin/magento command. The functionality uses a lock file in var/locks to prevent concurrent execution.

There are instances when the process gets locked after Production deployments and order data is not exported.

How do you prevent this from happening?

- A. Use the VAR\_LOCKS\_CLEAR variable available for the post\_deploy stage in the .magento.env.yaml file
- B. Write a custom post\_deploy hook to delete orphan lock files and include it in the .magento.app.yaml file
- C. Use the VAR\_LOCKS\_CLEAR variable available for the build stage in the .magento.app.yaml file



D. You must access the Production environment and delete the lock file

Correct Answer: A

#### QUESTION 4

On a project that deploys static content during the build phase, a merchant states the deploy phase is still taking too long. You consider turning off JavaScript minification to reduce the build time.

Besides reducing the build phase time, what two consequences does turning off JavaScript minification have? (Choose two.)

- A. The deploy artifact size will be decreased because of the larger JavaScript can be symlinked
- B. Browsing the store will be slower because larger JavaScript files have to be downloaded
- C. The deploy phase will be shorter because JavaScript can be symlinked from init instead of copied
- D. The build phase will be longer because the additional pass of JavaScript merging

Correct Answer: AD

#### QUESTION 5

You are testing an integration to an external service that requires you to configure an access key in an environment variable. You created a new environment to validate the functionality. The variable must only impact this environment.

How do you configure the variable?

- A. Use the magento-cloud CLI utility with the environment, inheritable and level flags
- B. Add the variable to the variables section under Project Settings specifying inheritance level
- C. Add the variable to the .magento.env.yaml file specifying the environment and inheritable
- D. Use vendor/bin/ece-tools to generate a local config.php file and commit the setting

Correct Answer: C

Reference: <https://devdocs.magento.com/cloud/env/variables-deploy.html>

[MAGENTO-CERTIFIED-PROFESSIONAL-CLOUD-DEVELOPER Practice Test](#)

[MAGENTO-CERTIFIED-PROFESSIONAL-CLOUD-DEVELOPER Exam Questions](#)

[MAGENTO-CERTIFIED-PROFESSIONAL-CLOUD-DEVELOPER Braindumps](#)