# MCD-LEVEL1-DELTA<sup>Q&As</sup>

## MuleSoft Certified Developer - Level 1 (Mule 4) DELTA

## Pass Mulesoft MCD-LEVEL1-DELTA Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

**https://www.geekcert.com/mcd-level1-delta.html**

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Mulesoft Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

**QUESTION 1**

Refer to the exhibits.



```
<flow name="main" >
    <scheduler doc:name="Scheduler" > <scheduling-strategy >
    <fixed-frequency frequency="10000"/> </scheduling-strategy> </scheduler>
    <set-payload value="#[[ 'a', 'b', 'c', 'd', 'e' ]]" doc:name="[ 'a', 'b', 'c', 'd', 'e' ]" />
    <batch:job jobName="processRecordsBatchJob" >
        <batch:process-records >
            <batch:step name="Batch_Step_With_Filter"
                acceptExpression='#[not (payload contains "b") ]'>
                <ee:transform doc:name="upper(payload)"> <ee:message >
                    <ee:set-payload ><![CDATA[%dw 2.0
                        output application/json
                        ---
                        upper(payload)]]></ee:set-payload>
                </ee:message></ee:transform>
            <batch:aggregator doc:name="Batch_Aggregate_by_3" size="3">
                <logger level="INFO" doc:name="payload"
                    message="#[output application/json --- payload]"/>
            </batch:aggregator>
            </batch:step>
        </batch:process-records>
    </batch:job>
</flow>
```

The input array of strings is processed by the batch job that processes, filters, and aggregates the values. What is the last message logged by the Logger component after the batch job completes processing?

A. [ ["A", "C", "D" ], ["E"] ]

B. [\\'\\'E\\'\\']

C. [\\'\\'D", "E"]

D. [ "A", "C, "D", "E" ]

Correct Answer: A

**QUESTION 2**

Refer to the exhibit.

```
<flow name="main">
    <http:listener doc:name="HTTP: GET /" config-ref="HTTP_Listener_config" path="/" />
    <http:request method="POST" doc:name="HTTP: POST /data" url="http://localhost:8081/data"/>
    <jms:publish-consume doc:name="JMS: num1" config-ref="JMS_Config" destination="num1"/>
    <jms:publish doc:name="JMS: num2" config-ref="JMS_Config" destination="num2"/>
    <set-payload value="#[payload + 1]" doc:name="payload + 1" />
</flow>
```

What payload is returned from a request to http//localhost.8081/

Refer to the exhibits, what payload is returned from a request to http://localhost;8081/?

A. 1

B. 2

C. 3

D. 4

Correct Answer: C

---

**QUESTION 3**

Refer to the exhibit.



What expression correctly specifies input parameters to pass the city and state values to the SQL query?

A. #[
    {
        city: "San Francisco",
        state: "CA"
    }
]

B. #[
    [
        "San Francisco",
        "CA"
    ]
]

C. #[
    inputParams: {
        city: "San Francisco",
        state: "CA"
    }
]

D. #[
    inputParams: [
        "San Francisco",
        "CA"
    ]
]

A. Option A

B. Option B

C. Option C

D. Option D

Correct Answer: A

**QUESTION 4**

A Mule application contains an ActiveMQ JMS dependency. The Mule application was developed in Anypoint Studio and runs successfully in Anypoint Studio. The Mule application must now be exported from Anypoint Studio and shared with another developer. What export options create the smallest JAR file that can be imported into the other developer\'s Anypoint Studio and run successfully?

A.

☐ Attach project sources

☐ Include project modules and dependencies

B.

☐ Attach project sources

☑ Include project modules and dependencies

C.

☑ Attach project sources

☑ Include project modules and dependencies

D.

☑ Attach project sources

☐ Include project modules and dependencies

A. Option A

B. Option B

C. Option C

D. Option D

Correct Answer: B

**QUESTION 5**

Where are values of query parameters stored in the Mule event by the HTTP Listener?

A. Payload

B. Attributes

C. Inbound Properties

D. Variables

Correct Answer: B

In Mule4 - #[attributes.queryParams.{paramaterName}]

**MCD-LEVEL1-DELTA PDF Dumps**

**MCD-LEVEL1-DELTA VCE Dumps**

**MCD-LEVEL1-DELTA Practice Test**