



MCD-LEVEL1-DELTA^{Q&As}

MuleSoft Certified Developer - Level 1 (Mule 4) DELTA

Pass Mulesoft MCD-LEVEL1-DELTA Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/mcd-level1-delta.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Mulesoft
Official Exam Center


- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Refer to the exhibits.



```
<Flow name="main" >
  <scheduler doc:name="Scheduler" > <scheduling-strategy>
    <fixed-frequency frequency="10000"/> </scheduling-strategy> </scheduler>
    <set-payload value="#[ [ 'a', 'b', 'c', 'd', 'e' ] ]" doc:name="[ 'a', 'b', 'c', 'd', 'e' ]" />
    <batch:job jobName="processRecordsBatchJob" >
      <batch:process-records >
        <batch:step name="Batch_Step_With_Filter"
          acceptExpression="#[not (payload contains 'b')] ">
          <ee:transform doc:name="upper(payload)"> <ee:message >
            <ee:set-payload ><![CDATA[%dw 2.0
              output application/json
              ---
              upper(payload)]]></ee:set-payload>
            </ee:message></ee:transform>
          <batch:aggregator doc:name="Batch_Aggregate_by_3" size="3">
            <logger level="INFO" doc:name="payload"
              message="#[output application/json --- payload]"/>
          </batch:aggregator>
        </batch:step>
      </batch:process-records>
    </batch:job>
  </Flow>
```

The input array of strings is processed by the batch job that processes, filters, and aggregates the values. What is the last message logged by the Logger component after the batch job completes processing?

- A. [["A", "C", "D"], ["E"]]
- B. ["\\E\\\\"]
- C. ["\\D", "E"]
- D. ["A", "C", "D", "E"]

Correct Answer: A

QUESTION 2

Refer to the exhibits.



```
1= %dw 2.0
2  output application/json
3  ---
4  order: {
5    item: {
6      itemName: payload.item,
7      itemType: payload.itemType,
8      price: payload.price
9    }
10 }
```


The Set Payload transformer In the addItem subflow uses DataWeave to create an order object. What is the correct DataWeave code for the Set Payload transformer in the createOrder flow to use the addItem subflow to add a router cable with the price of 100 to the order?

- A. addItemf { payload: { price: "100", item: "router", itemType: "cable" } >)
- B. lookupf "addItem", { payload: { price: "100", item: "router", itemType: "cable" } })
- C. addItemf { price: "100", item: "router", itemType: "cable" } }
- D. lookupf "addItem", { price: "100", item: "router", itemType: "cable" } }

Correct Answer: B

QUESTION 3

Refer to the exhibit. The Batch Job processes, filters and aggregates records, What is the expected output from the Logger component?



```
<flow name="main" >
  <scheduler doc:name="Scheduler" > <scheduling-strategy>
    <fixed-frequency frequency="10000"/></scheduling-strategy> </scheduler>
    <set-payload value="#[[1,2,3,4,5,6]]" doc:name="[1,2,3,4,5,6]" />
    <batch:job jobName="processRecordsBatchJob" >
      <batch:process-records >
        <batch:step name="Batch_Step_With_Filter" acceptExpression="#[(payload mod 2) == 0]">
          <ee:transform doc:name="Multiply by 10"><ee:message>
            <ee:set-payload><![CDATA[%dw 2.0
              output application/java
              payload * 10]]></ee:set-payload>
          </ee:message></ee:transform>
          <batch:aggregator doc:name="Batch_Aggregate_2" size="2">
            <logger level="INFO" doc:name="payload" message="#[payload]"/>
          </batch:aggregator>
        </batch:step>
      </batch:process-records>
    </batch:job>
  </flow>
```

- A. [10. 20, 30. 40, 50, 60]
- B. [10. 20] [30, 40] [50, 60]
- C. [20, 40, 60]
- D. [20. 40] [60]

Correct Answer: D

QUESTION 4

Refer to the exhibit.



What is the output payload in the On Complete phase

- A. summary statistics with NO record data
- B. The records processed by the last batch step: [StepTwo1, StepTwo2, StepTwo3]
- C. The records processed by all batch steps: [StepTwostepOne1, stepTwostepOne2, StepTwoStepOne3]
- D. The original payload: [1,2,3]

Correct Answer: D

QUESTION 5

Refer to the exhibit.



```
#%RAML 1.0
title: ACME Airlines
version: 1.0

/flight:
  get:
    responses:
      200:
      404:

/airline:
  get:
    queryParameters:
      code: string
    responses:
      200:
      404:

/accounts:
  get:
    responses:
      200:
      404:
  post:
    responses:
      201:
```

How many private flows does APIKIT generate from the RAML specification?

- A. 1
- B. 2
- C. 3
- D. 4

Correct Answer: D

[Latest MCD-LEVEL1-DELTA Dumps](#)

[MCD-LEVEL1-DELTA VCE Dumps](#)

[MCD-LEVEL1-DELTA Braindumps](#)