



MCD-LEVEL1-DELTA^{Q&As}

MuleSoft Certified Developer - Level 1 (Mule 4) DELTA

Pass Mulesoft MCD-LEVEL1-DELTA Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/mcd-level1-delta.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Mulesoft
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Refer to the exhibit.

The screenshot shows a database query tool interface. On the left, a JSON file named 'list_json_1.json' is displayed with the following content:

```
[
  {
    "orderId": 592,
    "shipping": "international",
    "item": "T-shirt Navy",
    "size": "L",
    "quantity": 1,
    "price": 20
  },
  {
    "orderId": 972,
    "shipping": "domestic",
    "item": "Cargo Shorts",
    "size": "XL",
    "quantity": 2,
    "price": 30
  }
]
```

Below the JSON, the 'Context' is set to 'payload'.

In the center, the 'Output Payload' section shows the following configuration:

```
1= %dw 2.0
2= output application/xml
3= ---
```

On the right, the resulting XML output is displayed:

```
<?xml version='1.0' encoding='UTF-8'?>
<order>
  <item>
    <itemName>T-shirt Navy</itemName>
    <total>20</total>
  </item>
  <item>
    <itemName>Cargo Shorts</itemName>
    <total>60</total>
  </item>
</order>
```

What Database expression transforms the input to the output?



A.

```
{  
  payload map ( (value, index) ->  
    order: {  
      item: {  
        itemName: value.item,  
        total: value.price * value.quantity  
      }  
    }  
  }  
}
```

B. ☐

```
order:  
  payload map ( (value, index) ->  
    item: {  
      itemName: value.item,  
      total: value.price * value.quantity  
    }  
  )  
}
```

C.

```
payload map ( (value, index) ->  
  order: {  
    item: {  
      itemName: value.item,  
      total: value.price * value.quantity  
    }  
  }  
}
```

D. ☒

```
order:  
{  
  payload map ( (value, index) ->  
    item: {  
      itemName: value.item,  
      total: value.price * value.quantity  
    }  
  }  
}
```

A. Option A

B. Option B

C. Option C

D. Option D

Correct Answer: D



QUESTION 2

Why would a Mule application use the `${http.port}` property placeholder for its HTTP Listener port when it is deployed to CloudHub?

- A. Allows CloudHub to automatically change the HTTP port to allow external clients to connect to the HTTP Listener
- B. Allows CloudHub to automatically register the application with API Manager
- C. Allows MuleSoft Support to troubleshoot the application by connecting directly to the HTTP Listener
- D. Allows clients to VPN directly to the application at the Mule application's configured HTTP port

Correct Answer: A

QUESTION 3


In the Database On Table Row operation, what does the Watermark column enable the On Table Row operation to do?

- A. To save the most recent records retrieved from a database to enable database caching.
- B. To enable duplicate processing of records in a database.
- C. To avoid duplicate processing of records in a database.
- D. To delete the most recent records retrieved from a database to enable database caching.

Correct Answer: C

QUESTION 4

Refer to the exhibits.



```
<flow name="getNumbers" >
  <http:listener doc:name="HTTP: GET /" config-ref="HTTP_Listener_config" path="/" />
  <scatter-gather doc:name="Scatter-Gather" >
    <route >
      <flow-ref doc:name='setPayload100' name='setPayload100' />
    </route>
    <route >
      <flow-ref doc:name="setPayload200" name="setPayload200" />
    </route>
  </scatter-gather>
  <ee:transform doc:name="payload">
    <ee:message >
      <ee:set-payload ><![CDATA[%dw 2.0
        output application/json
        ---
        payload]]></ee:set-payload>
    </ee:message>
  </ee:transform>
</flow>
<flow name="setPayload100" ><set-payload value='#[ "100"]' doc:name=' "100" ' /></flow>
<flow name="setPayload200" ><set-payload value='#[ "200"]' doc:name=' "200" ' /></flow>
```

The input array of strings is processed by the batch job that processes, filters, and aggregates the values. What is the last message logged by the Logger component after the batch job completes processing?



- A.

```
[
  {
    "attributes": ...,
    "payload": "100"
  },
  {
    "attributes": ...,
    "payload": "200"
  }
]
```
- B.

```
{
  "0": "100",
  "1": "200"
}
```
- C.

```
["100", "200"]
```
- D.

```
{
  "0": {
    "attributes": ...,
    "payload": "100"
  },
  "1": {
    "attributes": ...,
    "payload": "200"
  }
}
```

A. Option A

B. Option B

C. Option C

D. Option D

Correct Answer: C



QUESTION 5

How can you call a flow from Dataweave?

- A. Not allowed
- B. Include function
- C. Look up function
- D. Tag function

Correct Answer: C

[MCD-LEVEL1-DELTA PDF Dumps](#)

[MCD-LEVEL1-DELTA VCE Dumps](#)

[MCD-LEVEL1-DELTA Exam Questions](#)