



# MCQS<sup>Q&As</sup>

Multiple-choice questions for general practitioner (GP) Doctor

## Pass Test Prep MCQS Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/mcqs.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Test Prep  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

All statements are correct for papillary thyroid carcinoma except:

- A. Recurs very late
- B. May present first with lymph node swelling
- C. Mainly spread by blood
- D. Has very favorable diagnosis
- E. Mainly spread by lymphatic

Correct Answer: D

---

**QUESTION 2**

60-year-old male complains of decreased libido, decreased ejaculation, FBS= 6.5 mmol, increased prolactin, normal FSH and LH.

What is the next step?

- A. Testosterone level
- B. DM
- C. CT of the head
- D. NL FBG

Correct Answer: C

Prolactinoma is the most common tumor of pituitary gland, comprising up to 45% of all pituitary tumors. Prolactinoma is the most common cause of hyperprolactinemia, which is a common cause of infertility in males and females. Clinical presentation of the prolactinomas are earlier in females compared with males, even when they are very small (microadenoma). This earlier presentation in females is due to greater symptom burden caused by hyperprolactinemia in them.[1] On the other hand, males present late till prolactinoma becomes large in size (macroprolactinoma) and start causing pressure over optic chiasm and presented as visual deterioration or visual field defects. They can also present with decreased libido. So clinical diagnosis of prolactinoma in male patients is late, which can lead to misdiagnosis of microprolactinoma in male patients.

Reference: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3205532/>

---

**QUESTION 3**

A 64 year old man believes a female newscaster is communicating directly with him when she turns a page. Where is he suffering from?

- A. Delusion of Reference



- B. Nihilistic
- C. Grandeur
- D. Control
- E. Persecutory

Correct Answer: A

A delusion of reference is a type of delusion wherein the individual perceives unrelated events or objects in his/her surroundings to be of significance for himself/herself. For example, a person with schizophrenia might believe a billboard or a celebrity is sending a message meant for them.

#### QUESTION 4

A 37-year-old woman presents to the office for a consultation about family planning. She is married for 11 years and she has never had any extra marital relationships. They have been tested negative for HIV infection. She hopes to become pregnant and to stop using condoms. She had normal Pap smears for the past 18 years. The last Pap smear was 1 year ago.

When does she need to have her next Pap smear?

- A. In 2 years
- B. In 6 months
- C. In 3 years

Correct Answer: C

#### QUESTION 5

A 25 year woman comes to sexual clinic and ask for advice for contraception. She is on sodium Valporate. COCP=combined oral contraceptive pills.

- A. She can use COCP with extra precaution
- B. She can use COCP
- C. She can use COCP with estrogen 50 microgram and progesterone higher dose
- D. She cannot use COCP

Correct Answer: B

Mammography above age 50 lowers mortality the most. Although screening should start at the age of 50, the mortality benefit is also greatest above the age of 50, because the number of cases of cancer detected will be greater above the age of 50. The age cutoff for mammography is somewhat controversial. Step 3 will likely avoid the issue.