



MCQS^{Q&As}

Multiple-choice questions for general practitioner (GP) Doctor

Pass Test Prep MCQS Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/mcqs.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Test Prep
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

A person with suspicion of neisseria gonorrhoeae infection. Which test is necessary?

- A. blood culture
- B. urine culture
- C. throat swab culture on Thayer-Martin agar

Correct Answer: C

QUESTION 2

A lady developed breast abscess after delivery. What is the most likely organism?

- A. GBS
- B. Staph albus
- C. Strep pyogenes
- D. Staph aureus

Correct Answer: D

QUESTION 3

A 36-year-old woman presents with pains in both hands for the last few months and stiffness that improves as the day goes on. Multiple joints are swollen on exam. X-rays of the hands show some erosion.

What is the single most accurate test?

- A. ANA
- B. Rheumatoid factor
- C. Sedimentation rate
- D. Anti-cyclic citrullinated peptide (anti-CCP)

Correct Answer: D

Rheumatoid factor (RF) is present in only 75% percent of patients with rheumatoid arthritis (RA). It can also be present in a number of other diseases; hence, the RF is rather nonspecific. Anti-cyclic citrullinated peptide (anti-CCP) is the single most accurate test for RA. It is > 95 percent specific for RA, and it appears earlier in the course of the disease than the RF. There is nothing specific on joint aspiration to determine a diagnosis of RA.

QUESTION 4



Female with recently inserted IUCD coming with watery brownish vaginal discharge and abdominal pain what is the most likely diagnosis?

- A. Bacterial vaginosis
- B. D-ectopic pregnancy
- C. Uterine rupture
- D. Ovarian torsion

Correct Answer: A

QUESTION 5

An 8 year\\'s boy has his tonsils and adenoids removed. On the 7th post-op day, he comes back to the hemoptysis and fever.

What is the most appropriate management?

- A. Reassurance
- B. Packing
- C. Admit for IV antibiotics
- D. Surgery
- E. Prescribe oral antibiotics and discharge

Correct Answer: C

Most secondary hemorrhage occurs due to infection which erodes a vessel. S be admitted for IV antibiotics.

[Latest MCQS Dumps](#)

[MCQS PDF Dumps](#)

[MCQS VCE Dumps](#)