



# N10-007<sup>Q&As</sup>

CompTIA Network+ Certification Exam

**Pass CompTIA N10-007 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/n10-007.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by CompTIA  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

Users report that the network is slow. Upon investigation, the technician notices all users are on one large subnet. Which of the following devices should be used to break up broadcast domains?

- A. Layer 2 switch
- B. Layer 3 switch
- C. Signal repeater
- D. Bridge
- E. Domain server

Correct Answer: B

---

### QUESTION 2

company wants the public to be able to connect to the wireless network with minimal security, but not be able to connect to the private internal network. Which of the following firewall rules would BEST accomplish this?

- A. Content filtering on the wireless access point
- B. Allow traffic from the wireless access point
- C. Block traffic from the wireless access point
- D. Packet filtering on the wireless access point

Correct Answer: C

---

### QUESTION 3

A technician is surveying college's network equipment room and connectivity. Which of the following types of documentation does the technician need perform a detailed site survey? (Select THREE).

- A. IDF/MDF documentation
- B. Cable run label documentation
- C. network configuration documentation
- D. Performance baseline documentation
- E. Standard operating procedure documentation
- F. Change management documentation
- G. Rack diagram documentation



Correct Answer: ACG

---

#### QUESTION 4

A user wants a SOHO network to be protected from unauthorized users hacking their network. Which of the following should be implemented to aide in this matter?

- A. VPN
- B. Throughput tester
- C. Firewall
- D. OC3

Correct Answer: C

---

#### QUESTION 5

A switch is being configured for installation into a new building. The network design is such that the only DHCP server resides in the datacenter. A traditional three-layer network hierarchy is being used, and all buildings have a Layer 3 connection back to the core. Which of the following should the technician configure to get DHCP working properly in the new building?

- A. The SMTP relays in the datacenter
- B. The MAC address reservations
- C. The IP helper address on the switch
- D. The ARP forwarding on the switch

Correct Answer: C

[Latest N10-007 Dumps](#)

[N10-007 Study Guide](#)

[N10-007 Exam Questions](#)