



NAPLEX^{Q&As}

North American Pharmacist Licensure Examination

Pass Test Prep NAPLEX Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/naplex.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Test Prep
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

You need 51.3 mEq of NaCl to make 1/3 NS 1 liter bag. How many ml of 23.4% NaCl would you need? (Molecular weight of Na is 23 and Cl is 35.5)

- A. 12.82ml
- B. 16.82ml
- C. 23.4ml
- D. 58.5ml
- E. 10ml

Correct Answer: A

QUESTION 2

LT is a 42-year-old white female with past medical history of epilepsy, gastroesophageal reflux disease and seasonal allergies. She weighs 86 kg, height 5'6" and allergic to Aspirin (rash) and Phenobarbital (difficulty breathing).

Her medications include Omeprazole 40mg daily, Phenytoin 200mg twice daily, Valproic acid 500mg four times daily, Loratadine 10mg daily. She comes to your community pharmacy to pick up prescription for Primidone 250mg twice daily.

Pertaining to Primidone what is the most appropriate action to take?

- A. Notify the physician, Primidone dose is too low.
- B. Notify the physician, Primidone is contraindicated in patient with phenobarbital allergy.
- C. Notify the physician, Primidone is contraindicated in patient with Aspirin allergy.
- D. Notify the physician, patient is already on three anti-seizure medication and primidone is not needed.
- E. Notify the physician, Primidone is contraindicated in patient with gastroesophageal reflux disease.

Correct Answer: B

Primidone is an anticonvulsant drug that is structurally related to phenobarbital. Primidone is metabolized to phenobarbital and therefore shares its anticonvulsant and sedative properties. Primidone may be more effective than therapy with phenobarbital alone because primidone and both of its metabolites, phenobarbital and phenylethylmalonamide (PEMA), possess anticonvulsant activity.

QUESTION 3

A 49-year-old's blood test results have come back from the lab. Their chloride level currently measures 99 mEq/L. How should you interpret this result?



- A. Very low, requires immediate treatment
- B. Slightly below normal
- C. Within the normal range
- D. Very high, requires immediate treatment

Correct Answer: C

Serum chloride levels should ideally fall between 96-106 mEq/L. For this reason, the patient's chloride level has come back as normal.

QUESTION 4

What is the amount of potassium permanganate in 300mL of a 1 in 25 solution?

- A. 1 gram
- B. 8 grams
- C. 12 grams
- D. 14 grams

Correct Answer: C

QUESTION 5

You prescribe doxepin to a 37-year-old woman to treat neurotic excoriations on her arms. The patient is concerned about the side effects of this drug. Which of the following is not a side effect of doxepin:

- A. Xerostomia
- B. Liver toxicity
- C. Somnolence
- D. Urinary retention
- E. Constipation

Correct Answer: B

A,C,D,E ?False ?Doxepin is a tricyclic antidepressant with H1 and H2 antihistamine activity. Side effects include sedation and anticholinergic effects (dry mouth, urinary retention, and constipation). Although extensively metabolized by the liver and excreted by the kidney, liver toxicity is very rare. Nephrotoxicity, on the other hand, is a well-known serious adverse effect of long term doxepin use.



VCE & PDF

GeekCert.com

<https://www.geekcert.com/naplex.html>

2024 Latest geekcert NAPLEX PDF and VCE dumps Download

[NAPLEX PDF Dumps](#)

[NAPLEX Practice Test](#)

[NAPLEX Study Guide](#)