



# NCA-5.20<sup>Q&As</sup>

Nutanix Certified Associate (NCA) 5.20 Exam

**Pass Nutanix NCA-5.20 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/nca-5-20.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Nutanix  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





#### QUESTION 1

Which two Nutanix features offer the ability to restore a VM? (Choose two.)

- A. Data Protection
- B. Nutanix Leap
- C. Nutanix Flow
- D. Site Recovery Manager

Correct Answer: AB

---

#### QUESTION 2

Which component allows you to pair sites for Disaster Recovery Policy Creation using Nutanix Leap?

- A. Protection Policies
- B. Protection Domains
- C. Recovery Plan
- D. Availability Zones

Correct Answer: D

---

#### QUESTION 3

What happens when an HDD fails within a Nutanix cluster?

- A. Data is reprotected automatically
- B. Data is unavailable until disk is replaced
- C. Data is lost and must be recovered
- D. Data is rebuilt to a hot spare disk

Correct Answer: A

---

#### QUESTION 4

What is required to successfully live migrate a VM Between two AHV clusters?

- A. Stretch L2 networks across the primary and recovery sites
- B. Configure a Protection domain with synchronous replication




- C. Install and Configure the witness VM on a third Site.
- D. Both clusters must be managed by the same prism central

Correct Answer: B

### QUESTION 5

Refer to the exhibit.



A team member has built a CentOS VM image for use as a template. An administrator deploys a new VM using the CentOS image as the OS drive. No other drives are presented to the VM.

Following the deployment, the administrator attempts to boot the VM, but is unsuccessful.

What could be causing this issue?

- A. The VMS Boot Priority must reference disk first before CD-ROM
- B. The VM's Disk (scsi.0) setting must be set to make this disk bootable



C. No Volume Groups have been created for the VM

D. The CentOS VM image was built with UEF:

Correct Answer: D

[NCA-5.20 PDF Dumps](#)

[NCA-5.20 VCE Dumps](#)

[NCA-5.20 Braindumps](#)