



# NCA-5.20<sup>Q&As</sup>

Nutanix Certified Associate (NCA) 5.20 Exam

**Pass Nutanix NCA-5.20 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/nca-5-20.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Nutanix  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

An administrator wants to copy some virtual machine disk files to ADSF from an external VMware ESXi host.

Which two actions should the administrator take to complete this task? (Choose two.)

- A. Mount container as NFS on external host
- B. Configure Volume Group
- C. Enable CHAP on Volume Group
- D. Configure whitelist on container

Correct Answer: AD

---

### QUESTION 2

An administrator expanded the disk capacity on a Windows VM, but the VM operator saw no difference in free space. Which additional step must the administrator take?

- A. Reboot the Virtual Machine
- B. Convert to a dynamic disk
- C. Expand the current partition
- D. Reconnects to iSCSI target

Correct Answer: C

---

### QUESTION 3

An administrator wants to deploy a virtual desktop solution on a Nutanix cluster and wants to use the existing production network segment. Due to security concerns, DHCP traffic is blocked on the upstream network switch.

How should the administrator proceed?

- A. Enable IPAM and configure an IP Address Pool
- B. Enable Nutanix Flow
- C. Enable DHCP on the TOR Switches
- D. Install and configure third-party DHCP Software

Correct Answer: A

---

### QUESTION 4



Refer to the exhibit.

Data Resiliency Status		
FAULT DOMAIN TYPE: HOST		
COMPONENT	FAILURES TOLERABLE	MESSAGE
Static Configuration	1	
ZooKeeper	0	Desired fault tolerance for Zookeeper is 1 but we can tolerate only 0 node failure(s)
Stargate Health	0	Based on unhealthy node list (5,) the cluster can tolerate a maximum of 0 node failure(s)
Oplog	1	
Metadata	0	Metadata ring partitions with nodes: 192.168.1.33, 192.168.1.31, 192.168.1.32 are not fault tolerant.
Extent Groups	1	
Erasure Code	1	

An administrator notices that the Data Resiliency Statue of some components has been reduced to 0.

making it impossible to support a

node failure in the cluster.

What type of failure is most likely the cause of this issue?

A. Block

B. Disk

C. CVM

D. Nods

Correct Answer: C



### QUESTION 5

An Administrator has received the following critical alert:

Node 192.168.148.172 is marked to be detached from metadata the administrator has opened a case with Nutanix and the support engineer has requested more information about the error.

Which two actions should the administrator take in the health check dashboard to collect the requested information?  
choose two

- A. Open a remote support tunnel
- B. Run Logbay
- C. Create an entity chart
- D. Run Nutanix cluster check

Correct Answer: BD

[Latest NCA-5.20 Dumps](#)

[NCA-5.20 Practice Test](#)

[NCA-5.20 Exam Questions](#)