



# NCLEX-PN<sup>Q&As</sup>

National Council Licensure Examination(NCLEX-PN)

**Pass NCLEX NCLEX-PN Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/nclex-pn.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by NCLEX  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

A standard walker is used when clients \_\_\_\_\_.

- A. have poor balance, cannot stand up, have weak arms, and have good hand strength.
- B. have poor balance, have a broken leg, or have experienced amputation.
- C. have poor balance, have cardiac problems, or cannot use crutches or a cane.
- D. have poor balance, have an autoimmune disease, or have weak arms.

Correct Answer: C

A walker is used for clients who have balance problems, cardiac problems, or cannot use crutches or a cane.

The client needs to bear partial weight and have strength in her wrists and arms.

The client uses her upper body to propel the walker forward.

---

### QUESTION 2

Which of the following would be least likely to present itself in a prenatal patient with HELLP?

- A. disseminated intravascular coagulopathy
- B. elevated liver enzymes
- C. increased platelet count
- D. anemia

Correct Answer: C

---

### QUESTION 3

In administering NSAID adjunctive therapy to an elderly client with cancer, the nurse must monitor \_\_\_\_\_.

- A. BUN and creatinine
- B. creatinine and calcium
- C. Hgb and Hct
- D. BUN and CFT

Correct Answer: A

Elder adults might be more at risk for gastric and renal toxicity, increasing among elder adults.

---



#### QUESTION 4

When giving an intramuscular injection to an infant. Which of the following sites is preferred?

- A. Ventrogluteal region
- B. Deltoid
- C. Vastus lateralis
- D. Dorsogluteal region

Correct Answer: C

Vastus lateralis is the ideal choice for infants.

---

#### QUESTION 5

Teaching the client with gonorrhea how to prevent reinfection and further spread is an example of \_\_\_\_\_.

- A. primary prevention
- B. secondary prevention
- C. tertiary prevention
- D. primary health care prevention

Correct Answer: B

Secondary prevention targets the reduction of disease prevalence and disease morbidity through early diagnosis and treatment.

[NCLEX-PN PDF Dumps](#)

[NCLEX-PN Study Guide](#)

[NCLEX-PN Exam Questions](#)