



# NCM-5.15<sup>Q&As</sup>

Nutanix Certified Master - Multicloud Infrastructure (NCM-MCI) 5.15

## Pass Nutanix NCM-5.15 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/ncm-5-15.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Nutanix  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

A customer recently set up Async Replication between Site A and Site B. The customer wants to conduct a planned failover and clicks Activate on Site B. The customer then runs the following command on Site A: `ncli pd deactivate_and__destroy_vms name=.`

`deactivate_and__destroy_vms name=.`

What does this do to the customer environment?

- A. VMs get deleted from Site B and the protection domain is now Active.
- B. VMs are powered off on Site A and must be manually powered on at Site B.
- C. VMs get deleted from Site A and the protection domain is no longer active.
- D. Customer must then manually power off VMs at Site A and power them on at Site B.

Correct Answer: C

```
<ncli> pd deactivate_and_destroy_vms name=DataProtection
Use this command only when you are preparing to do a failback from an unplanned
failover. Executing this command will delete the VMs from this site and might ca
use data loss when used incorrectly. Are you sure (y/N)? Error: Mode change for
protection domain DataProtection failed with error: Cannot deactivate protection domain DataProtection because 1 VM(s) (POC_DEMO) are Pow
ered ON
```

### QUESTION 2

An administrator is configuring software only. Data-at-Rest Encryption on their Nutanix cluster. They are planning to deploy a third-party key management server (KMS). Where should this server be hosted?

- A. As a single VM on the Nutanix cluster
- B. On hardware external to the Nutanix cluster
- C. As a clustered VM setup on the Nutanix cluster
- D. As a single VM deployed on the host that contains the Prism leader CVM

Correct Answer: B

### QUESTION 3

An administrator needs to initiate a new VDI project within a couple of months. Prism Central reports there are no storage resources to accommodate such workloads.

The administrator sees many powered-off VMs and has the authority to delete test VMs powered off at least for 30 days.



Test VMs belong to the Test category.

Using Prism Central, which steps are required to identify the correct VMs to be deleted?

- A. Use Capacity Runway to filter by Test and Powered-off VMs
- B. Filter VMs list, choose Test category and Inactive under Efficiency
- C. Create a new Scenario selecting Test VMs. filter by uptime
- D. Create a new Project selecting Test VMs, sorting by power state

Correct Answer: B

---

#### QUESTION 4

An administrator receives reports that VDI desktop performance in an 8-node Nutanix VDI environment is poor. Opening applications takes between 1 and 2 minutes. When investigating the issue, the following conditions are found:

Cluster memory utilization: 80%

Cluster SSD utilization: 70%

Average VM CPU Wait Time: 11%

CVM CPU utilization: 75%

Which action should be taken to improve VDI performance?

- A. Increase the amount of SSD storage in the cluster.
- B. Add memory to the nodes in the cluster.
- C. Add CPU resources to the cluster.
- D. Increase the number of vCPU cores allocated to the CVM.

Correct Answer: C

---

#### QUESTION 5

Refer to the exhibit.



### Authentication Configuration

Directory List

Authentication Types

Client

Directory Type

Active Directory

Name

Corp

Domain

corp.yourcompany.com

Directory URL

ldaps://corp.yourcompany.com:389

Search Type ?

Non Recursive (Default)

An administrator configures Active Directory authentication as shown in the exhibit. Upon finishing setup, users are not able to log in. What configuration change should be made to fix this issue?

- A. Change leaps to https
- B. Change the Directory URL to use an IP rather than a name
- C. Change the plct from 389 to 636
- D. Change the Domain to use an IP rather than a name

Correct Answer: C

[Latest NCM-5.15 Dumps](#)

[NCM-5.15 Study Guide](#)

[NCM-5.15 Braindumps](#)