



NCM-MCI^{Q&As}

Nutanix Certified Master - Multicloud Infrastructure

Pass Nutanix NCM-MCI Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/ncm-mci.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Nutanix
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

An administrator finds that home shares cannot be configured in a new Files 3.5 deployment. Why is this happening?

- A. NFS default access is set to Read Only.
- B. Multi-protocol access is not configured.
- C. Access Based Enumeration is not enabled.
- D. The system is deployed as a single FSVM.

Correct Answer: D

QUESTION 2

An administrator is implementing a VDI solution. The workload will be a series of persistent desktops in a dedicated storage container within a four-node cluster. Storage optimizations should be set on the dedicated storage container to give optimal performance including during a node failure event.

Which storage optimizations should the administrator set to meet the requirements?

- A. Compression, Deduplication, and Erasure Coding
- B. Deduplication and Erasure Coding
- C. Compression and Deduplication
- D. Compression only

Correct Answer: B

QUESTION 3

An administrator needs to replace an aging SAN and move to a hyper-converged infrastructure. The existing environment consists of the following hosts that are connected to the SAN:

1.
5x AIX hosts
2.
3x Hyper-V hosts
3.
9x ESXi hosts
- 4.



2x physical SQL Clusters (Windows Server 2012R2 hosts)

After deploying a Nutanix AHV cluster, which two actions should the administrator take to meet the requirements?
(Choose two.)


- A. Deploy Volumes to support the AIX and SQL workloads.
- B. Migrate the ESXI workloads to AHV using Move.
- C. Deploy Files to support the AIX hosts.
- D. Migrate the ESXi and Hyper-V workloads using Move.

Correct Answer: AD

Ref: <https://portal.nutanix.com/#page/kbs/details?targetId=kA00e000000Cr7GCAS>

QUESTION 4

Refer to the exhibit.



A Nutanix host is connected as shown in the exhibit with br0-up set to active/backup. Physical Switch 1 experiences a



power outage causing br0-up to failover to using eth2. The CVM and host become inaccessible. User VMs restart on other hosts in the cluster, which causes a disruption to those VMs.

Which configuration issue likely caused this outage?

- A. Bridge br0-up should be configured to use balance-tcp rather than active/backup.
- B. The CVM should have eth1 connected to the OVS.
- C. The upstream port for eth2 is missing a VLAN.
- D. The user VMs only have one NIC

Correct Answer: C

Ref: https://portal.nutanix.com/page/documents/solutions/details?targetId=BP-2071-AHV-Networking:top_ahv_networking_best_practices.html

QUESTION 5

An organization is planning an upgrade to AOS 5.15 and wants to understand which cluster products and/or services are supported for physical traffic isolation. Which Nutanix component supports its network traffic being isolated onto its own virtual network?

- A. Volumes
- B. Objects
- C. Containers
- D. Files

Correct Answer: A

[NCM-MCI VCE Dumps](#)

[NCM-MCI Practice Test](#)

[NCM-MCI Study Guide](#)