



NCP-MCI-5.20^{Q&As}

Nutanix Certified Professional - Multi cloud Infrastructure (NCP-5.20)

Pass Nutanix NCP-MCI-5.20 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/ncp-mci-5-20.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Nutanix
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

An administrator receives an alert email that indicates that a health check has failed. Which action should the administrator take to collect more information on the failed check?

- A. In the Prism Web Console, select the URL included in the check details
- B. Re-run the check from the CVM CLI using the ncc command
- C. Forward the alert email to Nutanix Support requesting more information
- D. Use the ncli command on the CVM to view the details of the check

Correct Answer: B

Reference: <https://portal.nutanix.com/page/documents/kbs/details?targetId=kA00e000000CsINCAS>

QUESTION 2

An administrator is migrating ESXi VMs to a Nutanix AHV cluster. The VM data is available to the AHV system. Which process must the administrator complete below AHV VMs can be create?

- A. Import the VMs .vmx file using the Image Service
- B. Rename the –flat.vmdk files for the VM based on the VM UUID
- C. Import the VM\\'s –flat.vmdk files using the Image Service
- D. Import the VM\\'s .nvram file using the Image Service

Correct Answer: C

QUESTION 3

For security reason an administrator needs to logically separate management and data traffic on Nutanix cluster. Which feature should the administrator select for this configuration?

- A. Prism Central
- B. Network Virtualization
- C. Network Segmentation
- D. Microsegmentation

Correct Answer: C



QUESTION 4

An administrator has observed that when an all- AHV host restarts unexpectedly one VM it hosts does not restart as expected. Which cluster on VM configuration explains this behavior?

- A. No other all-flash nodes have capacity to host the VM
- B. Nutanix Guest Tools are not installed on the VM
- C. Affinity for the VM is set for only the host that rebooted
- D. VM high availability is not enabled

Correct Answer: C

QUESTION 5

When creating a VM on an AHV cluster, how is the initial placement of the VM determined?

- A. AHV uses a round robin algorithm, placing new VMs onto hosts based on the numerical order of their UUID
- B. The administrator right clicks on the desired host and selects Power on VM from the dropdown menu
- C. The Acropolis Dynamic Scheduler selects a host which provides adequate resources for the VMs configuration
- D. Placement is determined by the host that holds the new_VM token at the time of VM creation

Correct Answer: C

[NCP-MCI-5.20 Study Guide](#)

[NCP-MCI-5.20 Exam
Questions](#)

[NCP-MCI-5.20 Braindumps](#)