



# NCP-MCI-6.5<sup>Q&As</sup>

Nutanix Certified Professional - Multicloud Infrastructure (NCP-MCI)  
v6.5 exam

## Pass Nutanix NCP-MCI-6.5 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/ncp-mci-6-5.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Nutanix  
Official Exam Center


- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





## QUESTION 1

Refer to Exhibit:



Which statement is true?

- A. A critical alert will be triggered if I/O working set size goes over 6000 MB.
- B. A critical alert will be triggered when there is an anomaly above 4000 MB.
- C. A warning alert will be triggered after 3 anomalies have been catch.
- D. A warning alert will be triggered if I/O working set size goes over the blue band.

Correct Answer: B

A. This statement is incorrect because there is no static threshold set to trigger a critical alert at 6000 MB. The graph shows a peak that goes above 6000 MB, but the alert configuration below does not specify a static threshold at this value.

B. This is the correct statement. The configuration under "Behavioral Anomaly" is set to alert every time there is an anomaly, with a critical level alert set to trigger when the I/O working set size is between 0 MB and 4000 MB. The graph illustrates that the anomalies (highlighted in pink) occur when the working set size exceeds the normal range (blue band). Therefore, any anomaly detected above 4000 MB would trigger a critical alert.

C. This statement is incorrect because there is no indication that a warning alert is configured to trigger after 3 anomalies. The exhibit does not show any configuration that specifies an alert based on the number of anomalies.

D. This statement is incorrect as there's no indication that a warning alert will be triggered based on the I/O working set size exceeding the blue band. The alert settings are configured to ignore anomalies below 4000 MB and to trigger a



critical alert for anomalies above this threshold.

The settings displayed in the exhibit are typically part of Nutanix's Prism infrastructure management platform, which can set various thresholds for performance metrics and trigger alerts based on those thresholds. The behavior is defined in

the Prism documentation where the alert configuration is outlined.

---

## QUESTION 2

A VM in a 12-node Nutanix cluster is hosting an application that has specific Physical GPU requirements. Only three nodes in the cluster meet this requirement.

The administrator wants to allow a general workload to be distributed across all nodes in the cluster and must make sure that the node hosting the VM meets its requirements.

How should the administrator perform this task?

- A. Create a sperate three-node cluster using the nodes that meet the requirement.
- B. Configure VM-Host affinity for the nodes that meet the application's GPU requirement.
- C. Over-Provision the application VM with additional virtual GPUs.
- D. Configure anti-affinity rules between the application VM and the other VMs running on the cluster.

Correct Answer: B

---

## QUESTION 3

How should an administrator correct an SSL error when connecting to a Nutanix cluster?

- A. Add the SSL certificate to the workstation's trusted people store
- B. Create a new self-signed certificate for the cluster with a 4096 bit key
- C. Create a new SSL certificate for the cluster signed by an AD certificate authority
- D. Add the SSL certificate to an AD group policy applied to all computer objects

Correct Answer: C

---

## QUESTION 4

An administrator is implementing a VDI solution. The workload will be a series of persistent desktops in a dedicated storage container within a four-node cluster. Storage optimizations should be set on the dedicated storage container to give optimal performance including during a node failure event.

Which storage optimizations should the administrator set to meet the requirements?

- A. Compression only



- B. Deduplication and Erasure Coding
- C. Compression and Deduplication
- D. Compression Deduplication and Erasure Coding

Correct Answer: C

---

#### QUESTION 5

An administrator logs into the Nutanix Support Portal and notices there is a new version of the LCM Framework available. In an effort ensure LCM is providing the latest features, the administrator would like to upgrade LCM. How can the LCM Framework be upgraded?

- A. Perform an LCM inventory
- B. Upload the latest LCM Framework as an image in the image Configuration in Prism
- C. Upload the latest LCM Framework bundle via Upgrade Software in Prism
- D. Upgrade AOS

Correct Answer: A

[Latest NCP-MCI-6.5 Dumps](#)

[NCP-MCI-6.5 PDF Dumps](#)

[NCP-MCI-6.5 Study Guide](#)