



NCP-MCI-6.5^{Q&As}

Nutanix Certified Professional - Multicloud Infrastructure (NCP-MCI)
v6.5 exam





Pass Nutanix NCP-MCI-6.5 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/ncp-mci-6-5.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Nutanix
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

An administrator receives complaints of poor performance in a particular VM.

Based on the VM performance metric, what is the most likely cause of this behavior?

- A. Oplong is full cannot serve IO request from this VM.
- B. The host's CPU is severely overloaded.
- C. SSD tier is not big enough to serve workloads' IOPS demand.
- D. The VM needs more vCPUs

Correct Answer: C

Explanation: one of the key metrics to consider for VM performance is IOPS (Input/Output Operations Per Second), which is a measure of the number of input/output requests a device processes per second³. Another metric is throughput, which is a measure of how much data a device transfers per second³.

QUESTION 2

When a VM is connected to a Nutanix managed network, when is the IP address assigned?

- A. When the vNIC is created on the VM.
- B. When the VM is powered on.
- C. When the guest OS sends a DHCP request.
- D. When the guest OS receives a DHCP acknowledge.

Correct Answer: D

QUESTION 3

Which change can be made on a cluster with software-based Data-at-Rest Encryption enabled?

- A. Disable encryption on the cluster
- B. Deploy an additional Native KMS Server
- C. Enable encryption for a VM
- D. Change Native KMS to External KMS

Correct Answer: D

Reference: <https://next.nutanix.com/blog-40/security-with-simplicity-encryption-for-your-data-with-1-click-28225>



QUESTION 4

An administrator has created a Nutanix managed it a VLAN ID of 512.

Several VMs have been created, and the administrator notices that the can successfully communicate with other VMs on that VLAN.

Provided they are on the host, but cannot communicate with VMs that reside on different hosts in the cluster.

What is most likely thee cause of this issue?

- A. There is a firewall rule blockingVLAN512 traffic.
- B. VLANS12 is a reserved VLAN ID, and not usable for guest VMs.
- C. The VLAN was not created on the upstream switches.
- D. The administrator did not create the VLAN on all hosts

Correct Answer: C

QUESTION 5

What Nutanix feature provides effective caching optimization In VDI environments?

- A. Remote Protection Group
- B. Local Protection Group
- C. Snap Clones
- D. Shadow Clones

Correct Answer: D

[NCP-MCI-6.5 PDF Dumps](#)

[NCP-MCI-6.5 Study Guide](#)

[NCP-MCI-6.5 Exam Questions](#)