



NCSE-CORE^{Q&As}

Nutanix Certified Systems Engineer Core

Pass Nutanix NCSE-CORE Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/ncse-core.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Nutanix
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

A systems engineer is sizing a configuration for a cluster that needs to tolerate up to 2 simultaneous disk failures across different nodes. What is the minimum number of nodes required?

- A. 3
- B. 4
- C. 5
- D. 6

Correct Answer: C

QUESTION 2

An administrator has an existing cluster and needs to improve performance Which two items are required to achieve even greater performance?

- A. Workloads are multi-threaded
- B. VMs have one vCPU configured
- C. VMs have multi-queue disable
- D. VMs have more than one vCPU

Correct Answer: AB

QUESTION 3

When Discussing node failures. a customer raises the concern that if a node that host 100TB of data goes offline. building data must take an extended period of time

- A. Use of redundant hypervisor boot-drives
- B. Support for all-flash or NVMe platforms
- C. Leveraging a replication-factor of 3
- D. Distribution of rebuild tasks across all nodes

Correct Answer: D

QUESTION 4

An SE needs to size a new project that requires offsite backup but not remote disaster recovery. The prospect requires an RTO of 48 hours, RPO of 4 hours, and the ability to restore from the past 5days of backups. The prospect\\s data



change rate is 1%.

Option A

Data Protection

Protect VM with other entities

- Yes
- No

Replication Options

- Local Snapshots Only.
- Local and Remote Snapshots.
- DR and both local and remote snapshots.

Remote Cluster

Create New Cluster

Cluster Name

Cluster 2

Snapshot Frequency

240

Level of data Change b/w the snapshots

Medium- 1% Change

Snapshots Retained

30

Option B

Data Protection

Protect VM with other entities

- Yes
- No

Replication Options

- Local Snapshots Only.
- Local and Remote Snapshots.
- DR and both local and remote snapshots.

Remote Cluster

Create New Cluster

Cluster Name

Cluster 2

Snapshot Frequency

1440

Level of data Change b/w the snapshots

Medium- 1% Change

Snapshots Retained

5

**Option C****Data Protection**

Protect VM with other entities

- Yes
- No

Replication Options

- Local Snapshots Only.
- Local and Remote Snapshots.
- DR and both local and remote snapshots.

Remote Cluster

Create New Cluster

Cluster Name

Cluster 2

Snapshot Frequency

1440

Level of data Change b/w the snapshots

Medium- 1% Change

Snapshots Retained

30

Option D**Data Protection**

Protect VM with other entities

- Yes
- No

Replication Options

- Local Snapshots Only.
- Local and Remote Snapshots.
- DR and both local and remote snapshots.

Remote Cluster

Create New Cluster

Cluster Name

Cluster 2

Snapshot Frequency

240

Level of data Change b/w the snapshots

Medium- 1% Change

Snapshots Retained

30


How should the SE configure Sizer for this scenario?

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Correct Answer: D

**QUESTION 5**

A two-node ROBO cluster is configured with a witness VM.



What happens when Node A goes down?

- A. The cluster becomes unavailable and goes into read-only mode.
- B. All operations and services on the Node B are shut down and go into a waiting state.
- C. The cluster is unaffected and no administrator intervention is required.
- D. Node B sends a leadership request to the Witness VM and goes into single-node mode.

Correct Answer: D

[Latest NCSE-CORE Dumps](#) [NCSE-CORE Practice Test](#) [NCSE-CORE Study Guide](#)