



NS0-157^{Q&As}

NetApp Certified Data Administrator, Clustered Data ONTAP

Pass NetApp NS0-157 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/ns0-157.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by NetApp
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

What are the three types of resources supported by Logical interfaces? (Choose three.)

- A. VServer-routes
- B. port
- C. Interface groups
- D. failover groups
- E. cluster-routes
- F. cluster
- G. group-routes
- H. VLAN

Correct Answer: BCH

QUESTION 2

In which shell can administrators natively run Data ONTAP 7-mode commands?

- A. node shell
- B. system shell
- C. cluster shell
- D. admin shell
- E. diag shell

Correct Answer: A

QUESTION 3

What is a NetApp storage system Ethernet port name?

- A. e0/1
- B. g0/1
- C. e0a
- D. eth0

Correct Answer: C



Reference: <http://community.netapp.com/t5/OnCommand-Storage-Management-Software-Discussions/e0M-Management-SP-Port/td-p/18499>

QUESTION 4

Which two default SVM roles are available when an SVM is created? (Choose two.)

- A. vsadmin-readonly
- B. root
- C. vsadmin
- D. admin

Correct Answer: AC

Reference: <https://library.netapp.com/ecmdocs/ECMP1368701/html/GUID-FFE11F8C-490B-4D6D-A18E3488275029C7.html>(See the table 1st point and last point).

QUESTION 5

A customer has two SVMs joined to separate Active Directory domains. SVM1 is joined to domain AD1 and SVM2 is joined to domain AD2. The administrator enables Active Directory access to allow certain domain users access to the cluster using their Active Directory credentials. After enabling, some users report the inability to log into the cluster using their Active Directory credentials.

What are three reasons this happened? (Choose three.)

- A. The user account belongs to the domain that is not used for cluster access authentication.
- B. The cluster time is off by two minutes from the Active Directory time server.
- C. The authentication tunnel was deleted and access sessions were disconnected.
- D. The Active Directory user account is not added to the cluster as a user.
- E. The user is not a member of an Active Directory group that is allowed access to the cluster.

Correct Answer: ADE