



# NS0-160<sup>Q&As</sup>

NetApp Certified Data Administrator, ONTAP

## Pass NetApp NS0-160 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/ns0-160.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by NetApp  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

You are working with a service provider that is running ONTAP 9.5. You must ensure that the end customer sees the logical space used. In this scenario, which argument for volume show command will accomplish this task?

- A. is-space-enforcement-logical
- B. is-space-reporting-logical
- C. logical-used-percentage
- D. is-quiesced-in-memory

Correct Answer: B

Reference: <https://whyistheinternetbroken.wordpress.com/2018/06/11/logical-used-space-ontap94/>

---

### QUESTION 2

Which mediator type is required for an ONTAP Select 2-node HA solution?

- A. mediator node
- B. mediator storage virtual machine
- C. mediator cluster
- D. mediator virtual machine

Correct Answer: B

---

### QUESTION 3

Which two interface group types enable the load balancing algorithm to be used? (Choose two.)

- A. load balance mode
- B. QoS mode
- C. dynamic multimode
- D. static multimode

Correct Answer: CD

Reference: <https://docs.netapp.com/ontap-9/index.jsp?topic=%2Fcom.netapp.doc.dot-cm-nmg%2FGUIDF4924A4C-9B7B-4281-BD07-A2F195BAC42D.html>

---

### QUESTION 4



You execute the volume unmount -vserver vs1 -volume vol1 command. In this scenario, which statement is true?

- A. The Snapshot policy in the volume needs to be recreated once the volume is remounted.
- B. All data within the junction point is inaccessible to NAS clients.
- C. Data within the vol1 volume is lost.
- D. The existing volume export policies and SMB shares created on the volume or on directories and junction points within the unmounted volume are not retained.

Correct Answer: B

Reference: <https://docs.netapp.com/ontap-9/index.jsp?topic=%2Fcom.netapp.doc.cdotefamg-nfs%2FGUID-8E400D78-B405-4682-8F33-143783F2D580.html>

---

#### QUESTION 5

A storage administrator wants to convert a switchless cluster to a switched cluster. You need to determine which switches are supported in ONTAP 9.3.

In this scenario, which tool would satisfy the requirement?

- A. Config Advisor
- B. Hardware Universe
- C. OnCommand System Manager
- D. OnCommand Unified Manager

Correct Answer: B

Reference: [https://library.netapp.com/ecm/ecm\\_download\\_file/ECMP1140535](https://library.netapp.com/ecm/ecm_download_file/ECMP1140535)

[NS0-160 PDF Dumps](#)

[NS0-160 Study Guide](#)

[NS0-160 Braindumps](#)