

# NS0-160<sup>Q&As</sup>

NetApp Certified Data Administrator, ONTAP

# Pass NetApp NS0-160 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.geekcert.com/ns0-160.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by NetApp Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

- 🔅 365 Days Free Update
- 800,000+ Satisfied Customers





## **QUESTION 1**

When you create a new SSD storage pool for use with Flash Pools, how many allocation units are assigned to each node in the HA pair by default?

A. 8		
B. 2		
C. 1		
D. 4		

Correct Answer: B

Reference: https://docs.netapp.com/ontap-9/topic/com.netapp.doc.dot-cm-psmg/GUID-610B95D3-B0F34890-9A45-8A343BF40B29.html

# **QUESTION 2**

What are three types of shells that are used in ONTAP? (Choose three.)

- A. clustershell
- B. systemshell
- C. powershell
- D. nodeshell
- E. bashshell

Correct Answer: ABD

Reference: https://library.netapp.com/ecmdocs/ECMP1196798/html/GUID-B092BE96-04C1-4A86-AA6CD53DED94C795.html

### **QUESTION 3**

Which storage efficiency policy is automatically defined when you run volume move from a non-AFF system to an AFF system?

- A. inline-only
- B. promote
- C. default
- D. auto
- Correct Answer: D



Reference: https://docs.netapp.com/ontap-9/index.jsp?topic=%2Fcom.netapp.doc.dot-cm-vsmg%2FGUID46CCF74B-BCE5-4881-B43C-B2C0A51FE14F.html

### **QUESTION 4**

In which version of ONTAP did the NVMe protocol become available for SAN environments?

A. 9.4

B. 9.5

C. 9.3

D. 9.2

Correct Answer: A

Reference: https://library.netapp.com/ecm/ecm\_download\_file/ECMLP2495115

#### **QUESTION 5**

Click the Exhibit button.

```
::> network interface show -vserver nfs1 -fields dns-zone
```

vserver lif dns-zone nfs1 lif1 nfs1.netapp.com nfs1 lif2 none 2 entries were displayed

You use DNS zone delegation to access an SVM that is set up for on-box DNS to nfs1.netapp.com. You

can ping both lif1 and lif2 by IP address, but you can only ping lif1 by the delegated DNS name

nfs1.netapp.com.

Referring to the exhibit, what must you do to allow on-box DNS access to lif2?

A. Modify the DNS zone on lif2 to nfs1.netapp.com.

B. Modify the firewall policy on lif2 to management.

C. Configure the name service to allow DNS.

D. Configure lif2 in the external DNS.

Correct Answer: A



Latest NS0-160 Dumps

NS0-160 Practice Test NS0-160 Exam Questions