



# NS0-162<sup>Q&As</sup>

NetApp Certified Data Administrator (ONTAP)

**Pass NetApp NS0-162 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/ns0-162.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by NetApp  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

You want to configure Active Directory domain controller access for NetApp ONTAP cluster administration. In this scenario, which two actions would accomplish this task? (Choose two.)

- A. Configure an authentication tunnel through an admin SVM.
- B. Use the vserver active-directory create command to create a computer account on the domain for a non-CIFS SVM.
- C. Use the vserver active-directory create command to create a computer account on the domain for a CIFS SVM.
- D. Configure an authentication tunnel through an existing CIFS SVM.

Correct Answer: BD

<https://docs.netapp.com/ontap-9/index.jsp?topic=%2Fcom.netapp.doc.pow-adm-auth-rbac%2FGUID-BC7B1934-DDE6-4AFB-A319-6C85D1ADACB6.html>

Configuring an authentication tunnel

If you have already configured a CIFS server for a data SVM, you can use the security login domain-tunnel create command to configure the SVM as a gateway, or tunnel, for AD access to the cluster.

Creating an SVM computer account on the domain

If you have not configured a CIFS server for a data SVM, you can use the vserver active-directory create command to create a computer account for the SVM on the domain.

---

### QUESTION 2

You want to prepare your ONTAP cluster and your ESXi cluster to connect NFS datastores over a 10-GbE network using Jumbo frames. In this scenario, which three configurations would accomplish this task? (Choose three.)

- A. Enable jumbo frames with an MTU of 9000 for your ESXi hosts.
- B. Enable jumbo frames with an MTU of 9216 for your switches.
- C. Enable Jumbo frames with an MTU of 1500 for your ESXi hosts.
- D. Enable Jumbo frames with an MTU of 1500 for your ONTAP cluster.
- E. Enable Jumbo frames with an MTU of 9000 for your ONTAP cluster.

Correct Answer: ABE

Reference: [https://library.netapp.com/ecm/ecm\\_download\\_file/ECMLP2496234](https://library.netapp.com/ecm/ecm_download_file/ECMLP2496234) (9)

---

### QUESTION 3

After creating several volumes, you notice that the hosting aggregates immediately show a decrease in available space. Which volume setting would prevent this outcome?



- A. space SLO set to "thick"
- B. space guarantee set to "none"
- C. space SLO set to "semi-thick"
- D. space guarantee set to "volume"

Correct Answer: B

#### QUESTION 4

Your company wants their newly Installed ONTAP system to automatically send telemetry data to NetApp to provide early notification of any security risks, bug fixes, and ONTAP updates. Furthermore, In case of hardware failures, a support case should be opened automatically at NetApp.

Which two NetApp components satisfy the requirements? (Choose two.)

- A. Cloud Insights
- B. Active IQ
- C. ONTAP AutoSupport
- D. Active IQ Unified Manager

Correct Answer: BC

Explanation: Cases can be initiated automatically by our systems installed at customer sites via our ActiveIQ/AutoSupport technology. Source: <https://mysupport.netapp.com/site/info/policies-and-offerings>

#### QUESTION 5

Which two types of capacity tiers are supported with FabricPool aggregates In ONTAP 9.8? (Choose two.)

- A. SWIFT Object Store
- B. NFS Export
- C. StorageGRID Object Storage
- D. S3 Object Store

Correct Answer: CD

Reference: <https://www.netapp.com/pdf.html?item=/media/7335-sb-3692pdf.pdf&dv=202093858>