



# NS0-162<sup>Q&As</sup>

NetApp Certified Data Administrator (ONTAP)

## Pass NetApp NS0-162 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/ns0-162.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by NetApp  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

You have deployed an ONTAP C190 cluster enabled with the iSCSI protocol. Your manager asks for available options to protect the data on your cluster using the native SnapMirror technology. In this scenario, which two products would satisfy this request? (Choose two.)

- A. ONTAP Select
- B. Cloud Volumes ONTAP
- C. Cloud Volumes Service for AWS
- D. Azure NetApp Files

Correct Answer: AB

### QUESTION 2

Exhibit.

```
Cluster1::> ifgrp show
Node      Port      Distribution      Active
IfGrp      Function  MAC Address      Ports  Ports
-----
Node1      a0a       ip               02:a0:98:f1:2e:be partial e0c, e0d
Node2      a1a       ip               02:a0:98:f1:21:88 full    e0c, e0d
2 entries were displayed.

Cluster1::> network port show -node Node1 -port e0c,e0d -fields mac,health-status
node      port mac          health-status
-----
Node1     e0c   00:a0:98:f1:2e:b2 degraded
Node1     e0d   00:a0:98:f1:2e:b3 healthy
```

You have received an alert from Active IQ Unified Manager that interface e0c has gone offline. Network engineering asks for the corresponding MAC address for the port that has a problem. Referring to the exhibit, which MAC address would you supply to the engineering team?

- A. 02:a0:98:f1:2e:be
- B. 00:a0:98:f1:2e:b2
- C. 00:a0:98:f1:2e:b3
- D. 02:a0:98:f1:21:88

Correct Answer: B

### QUESTION 3



You have a 2-node NetApp FAS500f system serving NAS and SAN protocols. The cluster is running NetApp ONTAP 9.8. You have a requirement to use SnapMirror to mirror your data to public cloud object storage. In this scenario, which ONTAP native solution is supported?

- A. Flash Pool
- B. Cloud Backup Service
- C. Cloud Compliance service
- D. Cloud Sync

Correct Answer: B

#### QUESTION 4

Which two storage efficiency features are enabled by default on AFF systems? (Choose two.)

- A. LUN-level compression
- B. aggregate-level compression
- C. aggregate-level inline deduplication
- D. volume-level Inline deduplication

Correct Answer: CD

Reference: <https://docs.netapp.com/ontap-9/index.jsp?topic=%2Fcom.netapp.doc.dot-cm-vsmg%2FGUID-C1E3029E-1514-4579-939B-67160E849632.html>

#### QUESTION 5

You want to prepare your ONTAP cluster and your ESXi cluster to connect NFS datastores over a 10-GbE network using Jumbo frames. In this scenario, which three configurations would accomplish this task? (Choose three.)

- A. Enable jumbo frames with an MTU of 9000 for your ESXi hosts.
- B. Enable jumbo frames with an MTU of 9216 for your switches.
- C. Enable Jumbo frames with an MTU of 1500 for your ESXi hosts.
- D. Enable Jumbo frames with an MTU of 1500 for your ONTAP cluster.
- E. Enable Jumbo frames with an MTU of 9000 for your ONTAP cluster.

Correct Answer: ABE

Reference: [https://library.netapp.com/ecm/ecm\\_download\\_file/ECMLP2496234](https://library.netapp.com/ecm/ecm_download_file/ECMLP2496234) (9)