

NS0-162^{Q&As}

NetApp Certified Data Administrator (ONTAP)

Pass NetApp NS0-162 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.geekcert.com/ns0-162.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by NetApp
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



https://www.geekcert.com/ns0-162.html 2024 Latest geekcert NS0-162 PDF and VCE dumps Download

QUESTION 1

Which two storage efficiencies are enabled by default on NetApp AFF systems? (Choose two.)

- A. postprocess compaction
- B. Inline compression
- C. Inline deduplication
- D. postprocess zero block detection

Correct Answer: BC

QUESTION 2

Exhibit

```
ipp-na01::> net int show -vserver widgt_vml
  (network interface show)
            Logical
                        Status
                                   Network
                                                        Current
                                                                       Current Is
Veerver
            Interface Admin/Oper Address/Mask
                                                        Node
                                                                       Port
                                                                               Home
widgt_vml
            widgt_vml_lif
                          up/up
                                   192.168.106.11/24
                                                       ipp-na01-01
                                                                      a0a-229 false
            widgt vml mgmt
                          up/up
                                   10.40.105.15/24
                                                        ipp-na01-01
                                                                      a0a-228 true
2 entries were displayed.
ipp-na01::> broadcast-domain show -ports ipp-na01-01:a0a-229
  (network port broadcast-domain show)
IPspace Broadcast
                                                             Update
                             Port List
       Domain Name
                        MTU
                                                             Status Details
Name
widgt widgt_192.168.106.0/24
                       9000
                              ipp-na01-04:a0a-229
                                                             complete
                             ipp-na01-03:a0a-229
ipp-na01-01:a0a-229
                                                             complete
                                                             complete
                             ipp-na01-02:a0a-229
                                                             complete
ipp-na01::> net route show -vserver widgt_vm1
  (network route show)
There are no entries matching your query.
```

You need to provision a new NFS datastore for a vSphere cluster. You configure a new SVM and a new volume on your ONTAP cluster. You successfully mount the datastore to your vSphere cluster. You are able to upload and download a test 1 KB file to and from the datastore. You can also successfully ping the NFS LIF (192.168.106.11) from the vSphere hosts without any packet loss. However, you are unable to upload ISO Images or migrate VMs to the new datastore.

Referring to the exhibit, which action would correct the problem?

- A. Enable jumbo frames on the network switches.
- B. Add a default gateway to the SVM.

VCE & PDF GeekCert.com

https://www.geekcert.com/ns0-162.html

2024 Latest geekcert NS0-162 PDF and VCE dumps Download

- C. Change the MTU of the VM kernel ports on the vSphere hosts to 9,000 bytes.
- D. Migrate the LIF to Its home port.

Correct Answer: A

QUESTION 3

You are asked by your network engineering team to make sure that your NetApp cluster is configured to run LACP on Its network ports. Which network component satisfies this request?


- A. VLAN
- B. Interface group
- C. broadcast domain
- D. failover group

Correct Answer: B

Reference: https://library.netapp.com/ecm/ecm_download_file/ECMP1401193 (19)

QUESTION 4

Exhibit



You have a 4-node cluster.



https://www.geekcert.com/ns0-162.html

2024 Latest geekcert NS0-162 PDF and VCE dumps Download

| How many ISCSI LIFs will be created from the SVM setup wizard, as shown in the exhibit? |
|---|
| A. 8 |
| B. 6 |
| C. 16 |
| D. 2 |
| Correct Answer: A |

QUESTION 5

When you set up an ONTAP cluster, which two SVM types are automatically created? (Choose two.)

A. admin

B. node

C. data

D. cluster

Correct Answer: AB

Reference: https://library.netapp.com/ecmdocs/ECMP1354558/html/GUID-D860985F-11BF-4589-9457-E0FD03130B1F.html

<u>Latest NS0-162 Dumps</u> <u>NS0-162 VCE Dumps</u> <u>NS0-162 Study Guide</u>