



NS0-173^{Q&As}

Cisco and NetApp FlexPod Design Specialist

Pass NetApp NS0-173 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/ns0-173.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by NetApp
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

A customer with a FlexPod Datacenter design that uses a 4-node FAS8200 for storage wants to add a new workload that requires high performance. The customer needs to nondisruptively move some workloads from the existing FAS system to the new storage.

Which storage system would satisfy the requirements?

- A. FAS2700
- B. AFF A300
- C. EF570
- D. E2700

Correct Answer: C

Reference: <https://www.netapp.com/pdf.html?item=/media/16341-tr-4637pdf.pdf>

QUESTION 2

A customer is investigating options for implementing a FlexPod Datacenter solution that is using vSphere

6.x.

A.

Cisco Cloud Center documentation

B.

Cisco Validated Design documents

C.

VMware vSAN documentation

D.

NetApp Technical Report

Correct Answer: BD

In this scenario, which two resources would be important to review? (Choose two.)

Reference: https://www.cisco.com/c/en/us/td/docs/unified_computing/ucs/UCS_CVDs/flexpod_esxi60_n9k.html

QUESTION 3

A customer is using a FlexPod implementation that has 10 Gbps uplinks from the B-Series chassis to the fabric



interconnect. The customer wants to upgrade the links to 40 Gbps.

In this scenario, which model of Cisco UCS server IOM is required?

- A. 2204XP.
- B. 2208XP
- C. 2232
- D. 2304

Correct Answer: A

The Cisco UCS 2204XP Fabric Extender (Figure 7) has four 10 Gigabit Ethernet, FCoE-capable, SFP+ ports that connect the blade chassis to the fabric interconnect. Reference: https://www.cisco.com/c/dam/en/us/products/collateral/servers-unified-computing/ucs-b-series-blade-servers/spec_sheet_c17644224.pdf

QUESTION 4

A customer is planning to deploy a FlexPod solution for a large scale SAN requirement that uses the FC protocol. The customer plans to use Smart Zoning in the configurations to reduce the number of TCAM entries in the zoning process.

In this scenario, which design would enable the customer to use Smart Zoning?

- A. storage connected to Cisco Nexus 9000 Series switches
- B. storage connected to Cisco Nexus 5000 Series switches
- C. storage connected to Cisco MDS switches
- D. storage directly connected to Cisco UCS Fabric Interconnects

Correct Answer: C

Reference: https://www.cisco.com/c/en/us/td/docs/unified_computing/ucs/UCS_CVDs/flexpod_datacenter_vmware_netappaffa_design.html#_Toc23952741

QUESTION 5

Which command would a FlexPod administrator use to determine whether an FC initiator has logged on to the fabric?

- A. MDS9148>show fcfwd
- B. MDS9148>show fcdomain
- C. MDS9148>show fcc
- D. MDS9148>show flogi database

Correct Answer: D

Reference: <https://www.ciscolive.com/c/dam/r/ciscolive/us/docs/2017/pdf/BRKDCN-1121.pdf>



VCE & PDF

GeekCert.com

<https://www.geekcert.com/ns0-173.html>

2024 Latest geekcert NS0-173 PDF and VCE dumps Download

[Latest NS0-173 Dumps](#)

[NS0-173 Study Guide](#)

[NS0-173 Braindumps](#)