



NS0-173^{Q&As}

Cisco and NetApp FlexPod Design Specialist

Pass NetApp NS0-173 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/ns0-173.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by NetApp
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Your customer has a FlexPod implementation and wants to use life-cycle management to validate, monitor, and optimize the FlexPod infrastructure.

In this situation, which management tool should your customer use?

- A. NetApp OnCommand Unified Manager
- B. NetApp Converged System Advisor
- C. Cisco UCS Manager
- D. Cisco UCS Director

Correct Answer: D

Cisco UCS Director can be an integral companion for FlexPod because it allows holistic management through centralized automation and orchestration from a single, unified view. When FlexPod and Cisco UCS Director are combined, IT can shift time and focus from managing infrastructure to delivering new service innovation. Used together, FlexPod and Cisco UCS Director deliver: Reference: <https://www.netapp.com/media/16859-tr-3884.pdf>

QUESTION 2

A customer is configuring the UCS to handle a multitenant environment. The customer has created an organization within UCS for each tenant and would like to allow access to these organizations for only users that belong to that tenant.

In this scenario, which feature in UCS Manager should the customer use to accomplish this task?


- A. Locales
- B. Trusted Platform Module
- C. Service Profile
- D. User Roles

Correct Answer: C

Reference: https://www.cisco.com/c/en/us/td/docs/unified_computing/ucs/ucs-manager/GUI-User-Guides/Admin-Management/3-2/b_Cisco_UCS_Admin_Mgmt_Guide_3_2/b_Cisco_UCS_Admin_Mgmt_Guide_3_2_chapter_01010.html

QUESTION 3

Click the Exhibit button.



Referring to the exhibit, what is the name given to the link between the two Cisco Nexus switches?

- A. vPC Domain ID
- B. vPC peer domain
- C. vPC peer link
- D. vPC peer connection

Correct Answer: C

Reference: https://www.cisco.com/c/en/us/td/docs/switches/datacenter/nexus5000/sw/layer2/503_n2_1/503_n2_1nw/Cisco_n5k_layer2_config_gd_rel_503_N2_1_chapter8.html

QUESTION 4

Your customer has a FlexPod solution with a 2-node switchless ONTAP system, Cisco Nexus 93108 switches, and Cisco UCS B-Series servers. The customer wants to expand to a 4-node ONTAP storage cluster.

Which configuration is valid for expansion?

- A. Use the existing Nexus 93108 switches for the cluster interconnect.
- B. Add two Nexus 3232C switches for the cluster interconnect.
- C. Add two Nexus 93108 switches for the cluster interconnect.
- D. Add one Nexus 3232C switch for the cluster interconnect.

Correct Answer: B

QUESTION 5

A customer is planning to deploy a FlexPod solution for a large scale SAN requirement that uses the FC protocol. The customer plans to use Smart Zoning in the configurations to reduce the number of TCAM entries in the zoning process.



In this scenario, which design would enable the customer to use Smart Zoning?

- A. storage connected to Cisco Nexus 9000 Series switches
- B. storage connected to Cisco Nexus 5000 Series switches
- C. storage connected to Cisco MDS switches
- D. storage directly connected to Cisco UCS Fabric Interconnects

Correct Answer: C

Reference: https://www.cisco.com/c/en/us/td/docs/unified_computing/ucs/UCS_CVDs/flexpod_datacenter_vmware_netappaffa_design.html#_Toc23952741

[Latest NS0-173 Dumps](#)

[NS0-173 Study Guide](#)

[NS0-173 Braindumps](#)