



# NS0-175<sup>Q&As</sup>

Cisco and NetApp FlexPod Design Specialist

## Pass NetApp NS0-175 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/ns0-175.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by NetApp  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

A customer wants a FlexPod solution that is designed for high performance applications and that will support 32 Gbps Fibre Channel block storage.

In this scenario, which two components should you recommend to the customer? (Choose two.)

- A. NetApp AFF C190
- B. NetApp AFF A800
- C. Cisco Nexus 93180YC-FX
- D. Cisco Nexus 9504

Correct Answer: BC

---

### QUESTION 2

You are asked to evaluate SaaS-based monitoring solutions for your FlexPod environment. Other than being SaaS-delivered, selection criteria include full lifecycle management, environment automation, and the ability to monitor third-party storage that is salted for retirement.

In this scenario, which product satisfies the requirements?

- A. NetApp Cloud Insights
- B. NetApp OnCommand Insight
- C. Cisco UCS Manager
- D. Cisco Intersight

Correct Answer: A

Reference: <https://cloud.netapp.com/hubfs/WP-7302-Cloud-Insights-Monitoring-Guide.pdf>

---

### QUESTION 3

A customer wants to replace their Cisco UCS 6248UP with the current Cisco UCS 6454. They are currently using six 16 Gbit uplinks per Fabric Interconnect for FC and do not want to change the speed and number of ports used.

In this scenario, what is the minimum number of unified ports that must be configured for FC for a comparable configuration?

- A. 8
- B. 6



C. 16

D. 12

Correct Answer: A

Reference: [https://www.cisco.com/c/en/us/td/docs/unified\\_computing/ucs/ucs-manager/GUI-User-Guides/Network-Mgmt/4-0/b\\_UCSM\\_Network\\_Mgmt\\_Guide\\_4\\_0/b\\_UCSM\\_Network\\_Mgmt\\_Guide\\_4\\_0\\_chapter\\_0100.html](https://www.cisco.com/c/en/us/td/docs/unified_computing/ucs/ucs-manager/GUI-User-Guides/Network-Mgmt/4-0/b_UCSM_Network_Mgmt_Guide_4_0/b_UCSM_Network_Mgmt_Guide_4_0_chapter_0100.html)

---

#### QUESTION 4

A customer is performing a server refresh of their FlexPod solution to accommodate business growth. The customer is interested in using Cisco C-Series servers, and supporting multiple 40 Gbps link to each server, upgrading from the existing 10 Gbps links.

Which two VICs support these requirements? (Choose two.)

A. Cisco UCS 1480 VIC

B. Cisco UCS 1497 VIC

C. Cisco UCS 1495 VIC

D. Cisco UCS 1440 VIC

Correct Answer: AD

Reference: [https://www.cisco.com/c/en/us/td/docs/unified\\_computing/ucs/UCS\\_CVDs/flexpod\\_sap\\_ucsm40\\_fcsan\\_design.html](https://www.cisco.com/c/en/us/td/docs/unified_computing/ucs/UCS_CVDs/flexpod_sap_ucsm40_fcsan_design.html)

---

#### QUESTION 5

What are the 1U, rack mountable, Fabric Extenders (FEX) used for in a FlexPod environment?

A. to allow for the UCS C-Series to be connected to the Fabric Interconnects

B. to allow for the UCS S-Series to be connected to the Fabric Interconnects

C. to allow for extra UCS Blade Chassis to use the Fabric Interconnects

D. to allow for the UCS B-Series to be connected to the Fabric Interconnects

Correct Answer: A