



NS0-175^{Q&As}

Cisco and NetApp FlexPod Design Specialist

Pass NetApp NS0-175 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/ns0-175.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by NetApp
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

A customer wants a low latency and high IOPS FlexPod solution and decides on an end-to-end NVMe design.

In this scenario, which three components are required to accomplish this task? (Choose three.)

- A. NetApp FAS with a 32Gbps FC HBA
- B. Cisco Application Policy Infrastructure Controller (APIC)
- C. Cisco MDS Series switches
- D. NetApp AFF with a 32Gbps FC HBA
- E. Cisco UCS Virtual Interface Card (VIC) 1400 series

Correct Answer: CDE

QUESTION 2

An administrator wants to ensure secure authentication while accessing a NetApp ONTAP system.

In this scenario, which two access methods should be used? (Choose two.)

- A. RSH
- B. SSH
- C. HTTPS
- D. HTTP

Correct Answer: AB

Reference: <https://www.netapp.com/fr/media/10674-tr4569.pdf>

QUESTION 3

A customer has configured a FlexPod solution and is experiencing issues with connectivity from the Cisco Nexus switches to the NetApp AFF controllers. The customer must verify connectivity using the FC protocol.

What are two ways to troubleshoot this problem? (Choose two.)

- A. Use the WWNN
- B. Use the WWPN
- C. Use the FCID



D. Use Domain ID

Correct Answer: BC

QUESTION 4

A customer wants to refresh their FlexPod solution by moving from 10 Gbps to 40 Gbps networking. They use FCoE to boot from SAN.

In this scenario, which statement is true?

- A. FCoE is supported for 32 Gbps adapters
- B. FCoE is supported for 25 Gbps adapters
- C. FCoE is supported for 40 Gbps adapters
- D. FCoE is supported on only 10 Gbps unified adapters

Correct Answer: C

QUESTION 5

You want to add a customer's NetApp storage controllers into their Cisco Intersight management portal. In this scenario, which IP address would you choose to add?

- A. NetApp SVM management IP address
- B. NetApp Active IQ Unified Manager IP address
- C. NetApp cluster IP address
- D. NetApp Virtual Storage Console IP address

Correct Answer: B

[NS0-175 VCE Dumps](#)

[NS0-175 Practice Test](#)

[NS0-175 Study Guide](#)