



NS0-175^{Q&As}

Cisco and NetApp FlexPod Design Specialist





Pass NetApp NS0-175 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/ns0-175.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by NetApp
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

A partner wants to develop a FlexPod Datacenter solution for a customer that will use Cisco ACI.


In contrast to a FlexPod solution with NX-OS, which two additional requirements must be satisfied? (Choose two.)

- A. Use two Cisco Application Policy Infrastructure Controllers (APICs)
- B. Deploy the Cisco Nexus 900 Series Switches in a core-edge topology
- C. Deploy the Cisco Nexus 900 Series Switches in a leaf-spine topology
- D. Use three Cisco Application Policy Infrastructure Controllers (APICs)

Correct Answer: AC

QUESTION 2

Click the Exhibit button.



You are building a new FlexPod system booting from SAN.

Referring to the exhibit, how many paths will there be to the target LUN?

- A. 1
- B. 2



C. 8

D. 4

Correct Answer: D

QUESTION 3

A customer has reviewed the latest vSphere CVD and asks you if they can use their older Cisco servers in the new FlexPod solution and still have supported configuration.

Which statement is true in this scenario?

- A. FlexPod configurations are fully supported if they follow the technical specifications and compatibility matrices.
- B. FlexPod configurations are fully supported if they follow a specific Cisco Validated Design.
- C. FlexPod configurations are fully supported regardless of the equipment used.
- D. FlexPod configurations are fully supported if they follow a specific NetApp Verified Architecture.

Correct Answer: B

Reference: <https://www.cisco.com/c/dam/en/us/solutions/collateral/data-center-virtualization/flexpod/flexpod-solution-overview.pdf>

QUESTION 4

A customer wants a FlexPod solution that is designed for high performance applications and that will support 32 Gbps Fibre Channel block storage.

In this scenario, which two components should you recommend to the customer? (Choose two.)

- A. NetApp AFF C190
- B. NetApp AFF A800
- C. Cisco Nexus 93180YC-FX
- D. Cisco Nexus 9504

Correct Answer: BC

QUESTION 5

A customer is verifying that they have separation on their FC switch fabric to protect their FlexPod solution from their other storage devices.



Which two technologies enable the customer to accomplish this task? (Choose two.)

- A. WWPN zoning
- B. VASN
- C. IQN igroup
- D. VLAN

Correct Answer: AD

[Latest NS0-175 Dumps](#)

[NS0-175 Study Guide](#)

[NS0-175 Braindumps](#)