



# NS0-175<sup>Q&As</sup>

Cisco and NetApp FlexPod Design Specialist

## Pass NetApp NS0-175 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/ns0-175.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by NetApp  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

A customer wants to refresh their FlexPod solution by moving from 10 Gbps to 40 Gbps networking. They use FCoE to boot from SAN.

In this scenario, which statement is true?

- A. FCoE is supported for 32 Gbps adapters
- B. FCoE is supported for 25 Gbps adapters
- C. FCoE is supported for 40 Gbps adapters
- D. FCoE is supported on only 10 Gbps unified adapters

Correct Answer: C

---

### QUESTION 2

You are asked to ensure link redundancy to your hosts using Virtual Port Channel (vPC). You are creating a vPC on a pair of Cisco Nexus switches.

In this scenario, which two steps are required to accomplish this task? (Choose two.)

- A. Set all vPC ports to switchport mode access
- B. Configure the vPC peer keep-alive link
- C. Create a vPC domain
- D. Configure system priority

Correct Answer: BC

---

### QUESTION 3

A customer wants a FlexPod solution that is designed for high performance applications and that will support 32 Gbps Fibre Channel block storage.

In this scenario, which two components should you recommend to the customer? (Choose two.)

- A. NetApp AFF C190
- B. NetApp AFF A800
- C. Cisco Nexus 93180YC-FX



---

D. Cisco Nexus 9504

Correct Answer: BC

---

#### QUESTION 4

You have designed a FlexPod configuration with VXLAN configured on Cisco Nexus 9000 Series switches operating in NX-OS mode.

Which two statements are true in this scenario? (Choose two.)

- A. VXLAN segments are independent of the underlying network topology
- B. VXLAN is supported only on Cisco MDS 9000 Series switches
- C. VXLAN supports the Spanning Tree Protocol for loop prevention
- D. VXLAN is a Layer 2 overlay scheme over a Layer 3 network

Correct Answer: CD

---

#### QUESTION 5

Your customer wants to change from local boot to SAN boot for the compute layer. What must be present on the network layer to meet the customer's design change?

- A. NFS
- B. CIFS
- C. IQN
- D. FC

Correct Answer: D

[NS0-175 PDF Dumps](#)

[NS0-175 Practice Test](#)

[NS0-175 Exam Questions](#)