

# NS0-192<sup>Q&As</sup>

NetApp Certified Support Engineer

# Pass NetApp NS0-192 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.geekcert.com/ns0-192.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by NetApp
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



## https://www.geekcert.com/ns0-192.html 2024 Latest geekcert NS0-192 PDF and VCE dumps Download

#### **QUESTION 1**

Which three protocols does ONTAP support for ALUA? (Choose three.)

- A. CIFS
- B. FCoE
- C. iSCSI
- D. FC
- E. NFS

Correct Answer: BCD

#### **QUESTION 2**

A customer recently performed an ONTAP upgrade and would like to confirm the successful completion of the process.

Which three actions would satisfy this requirement? (Choose three.)

- A. Execute the version command at the cluster shell.
- B. Verify the version from the new AutoSupport that was automatically triggered after an upgrade.
- C. A System Message notification will be shown upon reboot after a successful upgrade.
- D. Execute the system node upgrade-revert show command at the cluster shell.
- E. Execute the system node upgrade-revert show-task-status command at the cluster shell.

Correct Answer: ACD

Reference: https://library.netapp.com/ecm/ecm\_download\_file/ECMLP2492712

#### **QUESTION 3**

A customer performed maintenance last weekend and power cycled both FAS8060 nodes of a 2-node ONTAP 9.2 cluster. The customer is concerned about port errors seen from the system ha interconnect port show command output.

Which two steps would you perform in troubleshooting this condition? (Choose two.)

- A. Use the system ha interconnect link off/on command to manually reset the HA interconnect Link 0 and Link 1 on both nodes
- B. Perform a takeover/giveback of both nodes.
- C. reset the counters using the system ha interconnect statistics clear-port command.
- D. Use the system ha interconnect flush command to manually reset the HA interconnect Link 0 and Link 1 on both



## https://www.geekcert.com/ns0-192.html

2024 Latest geekcert NS0-192 PDF and VCE dumps Download

nodes.

Correct Answer: AB

#### **QUESTION 4**

Click the Exhibit button.

vserver	policyname	ruleindex	clientmatch	rorule	rwrule	superuser
mysvm	cert	1	192.168.0/24	any	never	none
mysvm	cert	2	192.168.0.11	any	any	any
	vicue Haddelie K		10 - 10 - 10 - 10 - 10 - 10 - 10 - 10 -			
mysvm	cert	3	@mynetgroup	any	any	none
mysvm	cert	4	0.0.0.0/0	svs	krb5p	none
my D vin	COLO	-	0.0.0.0	212	MINOP	110110

An end user expects to have read/write access to a volume that has been mounted using NFSv3, but the end user is only able to read. The end user\\'s IP address is 192.168.0.11. You decide to look at the export policy that is applied to the volume in question.

Referring to the exhibit, which rule is applied to the end user?

A. 3

B. 2

C. 1

D. 4

Correct Answer: C

### **QUESTION 5**

You are configuring the transport protocol settings and are connecting to storage systems that are running ONTAP.

Which two protocols are supported by SnapDrive for this task? (Choose two.)

A. HTTPS

B. RPC

C. HTTP

D. TCP

Correct Answer: AC

Reference: https://library.netapp.com/ecm/ecm\_download\_file/ECMP1506026 (p.13)



# https://www.geekcert.com/ns0-192.html 2024 Latest geekcert NS0-192 PDF and VCE dumps Download

Latest NS0-192 Dumps

NS0-192 VCE Dumps

NS0-192 Practice Test