



NS0-193^{Q&As}

NetApp Certified Support Engineer

Pass NetApp NS0-193 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/ns0-193.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by NetApp
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

You have a 4-node cluster. You want to ensure that a NAS data LIF can only migrate to ports that are on its home node, and its HA partner.

In this scenario, which failover policy would be configured?

- A. sfo-partner-only
- B. local-only
- C. system-defined
- D. broadcast-domain-wide

Correct Answer: C

Reference: https://www.google.com/url?sa=t&andrc=jandq=andesrc=sandsource=webandcd=7andved=2ahUKEwigzre8xY_nAhWYzzgGHVbFBg4QFjAGegQIBhABandurl=ftp%3A%2F%2Fftp.aau.edu.et%2Ftraining%2FAAU-Private-Cloud%2FData_ONTAP%2FNetwork%2520Management%2520Guide.pdfandusg=AOvVaw0Zay5aRX7V7yB2kkmY7hAS

QUESTION 2

You want to aggregate throughput for a single LIF across several physical ports.

In this scenario, which two ONTAP features would accomplish this goal? (Choose two.)

- A. broadcast domains
- B. unified target ports
- C. interface groups
- D. virtual IP (VIP) LIFs

Correct Answer: CD

Reference: <https://docs.netapp.com/ontap-9/topic/com.netapp.doc.dot-cm-nmg/GUID-A8EF6D34-17174813-BBFA-AA33E104CF6F.html> <https://library.netapp.com/ecmdocs/ECMP1401193/html/GUIDDBC9DEE2-EAB7-430A-A773-4E3420EE2AA1.html>

QUESTION 3

Which routing protocol is required for virtual IP (VIP) LIFs?

- A. Open Shortest Path First (OSPF)
- B. Border Gateway Protocol (BGP)
- C. Intermediate System to Intermediate System (IS-IS)



D. Routing Information Protocol (RIP)

Correct Answer: B

Reference: <https://docs.netapp.com/ontap-9/index.jsp?topic=%2Fcom.netapp.doc.dot-cm-nmg%2FGUIDA8EF6D34-1717-4813-BBFA-AA33E104CF6F.html>

QUESTION 4

An administrator creates a CIFS volume on a FAS8200 system. The administrator maps the file share and receives a permission denied message when attempting to set an ACL.

In this scenario, which actions would help to solve the issue?

- A. Set the efficiency policy on the volume.
- B. Set the security style UNIX on the volume.
- C. Set the security style NTFS on the volume.
- D. Install SecureShare extension to set ACLs.

Correct Answer: C

Reference: [https://kb.netapp.com/app/answers/answer_view/a_id/1001083/~/top-10-nfs-issues-and-solutions- \(mapping issues\)](https://kb.netapp.com/app/answers/answer_view/a_id/1001083/~/top-10-nfs-issues-and-solutions- (mapping issues))

QUESTION 5

Which two SVMs would benefit from a load-sharing mirror? (Choose two.)

- A. An SVM that is configured for FCP.
- B. An SVM that is configured for CIFS.
- C. An SVM that is configured for NFS.
- D. An SVM that is configured for iSCSI.

Correct Answer: BC

Reference:

<https://library.netapp.com/ecmdocs/ECMP1368017/html/GUID-4931A901-D6D0-458B-8D3AA92427FDD8B8.html>