



NS0-194^{Q&As}

NetApp Certified Support Engineer

Pass NetApp NS0-194 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/ns0-194.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by NetApp
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

You need to provide a customer an action plan to update an ONTAP system after a security bulletin has been issued.

In this scenario, how do you accomplish this task?

- A. Use the Interoperability Matrix Tool.
- B. Review the ONTAP 9 product page.
- C. Download the target version and do a pre-check.
- D. Use Upgrade Advisor on Active IQ.

Correct Answer: C Section: (none)

QUESTION 2

The details from within Active IQ Cluster Viewer are downloadable in which three file formats? (Choose three.)

- A. PDF
- B. CSV
- C. XLS
- D. DOC
- E. HTML

Correct Answer: ABC Section: (none)

QUESTION 3

Your customer's MetroCluster has generated a "DISK REDUNDANCY FAILED" message.

Netapp-EmA:

Tue Jan 14 04:12:12 CET [netapp-EmA:cf.rv.notConnected:error]: HA interconnect: Connection for '\\cfo_rv\\' failed.

Tue Jan 14 04:12:13 CET [netapp-EmA:rv.connection.torndown:info]: HA interconnect: cfo_rv1 is torn down on NIC 1.

Tue Jan 14 04:12:13 CET [netapp-EmA:cf.rv.notConnected:error]: HA interconnect: Connection for '\\cfo_rv\\'1 failed.

Tue Jan 14 04:12:15 CET [netapp-EmA:rv.connection.torndown:info]: HA interconnect: cfo_rv2 is torn



down on NIC 1.

Tue Jan 14 04:12:18 CET [netapp-EmA:cf.rv.notConnected:error]: HA interconnect: Connection for

\\cfo_rv\\2 failed. Tue Jan 14 04:12:19 CET [netapp-EmA:bridge.removed:info]: FC-to_SAS bridge siteB_2:13.126L0 [ATTO FibreBridge6500N 1.61] S/N [FB7500N111161] was removed Tue Jan 14 04:12:19 CET [netappEmA:bridge.removed:info]: FC-to_SAS bridge siteB_2:5.126L0 [ATTO FibreBridge6500N 1.61] S/N [FB7500N111160] was removed

Netapp-EmB: Tue Jan 14 04:12:12 CET [netapp-EmB:cf.rv.notConnected:error]: HA interconnect: Connection for \\cfo_rv\\ failed. Tue Jan 14 04:12:12 CET [netapp-EmB:rv.connection.torndown:info]: HA interconnect: cfo_rv2 is torn down on NIC 1. Tue Jan 14 04:12:13 CET [netapp-EmB:rv.connection.torndown:info]: HA interconnect: cfo_rv1 is torn down on NIC 1. Tue Jan 14 04:12:13 CET [netapp-EmB:cf.rv.notConnected:error]: HA interconnect: Connection for \\cfo_rv\\1 failed. Tue Jan 14 04:12:18 CET [netapp-EmB:cf.rv.notConnected:error]: HA interconnect: Connection for \\cfo_rv\\2 failed. Tue Jan 14 04:12:19 CET [netapp-EmB:bridge.removed:info]: FC-to_SAS bridge siteA_2:13.126L0 [ATTO FibreBridge6500N 1.61] S/N [FB7500N111167] was removed Tue Jan 14 04:12:19 CET [netappEmB:bridge.removed:info]: FC-to_SAS bridge siteA_2:5.126L0 [ATTO FibreBridge6500N 1.61] S/N [FB7500N111164] was removed

Referring to the messages shown in the exhibit for each node, which component is causing the problem?

- A. the ATTO bridge on siteB_2
- B. the SAN switch siteA_2
- C. the SAN switch siteB_2
- D. the ISL between siteA and site B

Correct Answer: D Section: (none)

QUESTION 4

A customer will need to perform an upgrade from 9.0 to 9.4.

Which feature of ONTAP enables nondisruptive hardware maintenance for this upgrade?

- A. aggregate relocation
- B. FlexVol
- C. FlexGroup
- D. RAID-TEC

Correct Answer: A Section: (none)

Reference: <https://docs.netapp.com/ontap-9/index.jsp?topic=%2Fcom.netapp.doc.dot-cm-hacg%2FGUID519510F4-AE00-4859-9706-217553D05FB9.html>

QUESTION 5

What are two reasons to use VLANs in a NetApp storage solution? (Choose two.)



- A. to isolate UDP traffic from TCP traffic
- B. to isolate management traffic from other IP traffic
- C. to isolate iSCSI traffic from NAS traffic
- D. to isolate FC traffic from other IP traffic

Correct Answer: AC Section: (none)

[Latest NS0-194 Dumps](#)

[NS0-194 PDF Dumps](#)

[NS0-194 VCE Dumps](#)