



NS0-194^{Q&As}

NetApp Certified Support Engineer

Pass NetApp NS0-194 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/ns0-194.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by NetApp
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

A volume was accidentally deleted two hours ago by another administrator. No backups exist.

In this scenario, what do you do to restore the data?

- A. Use the ONTAP System Manager to recover the volume.
- B. Use a volume snapshot to return the data to the active file system.
- C. Use the volume recovery queue to restore the volume.
- D. Use an aggregate snapshot to revert the aggregate to an earlier state.

Correct Answer: C Section: (none)

Reference: <http://docs.netapp.com/ontap-9/index.jsp?topic=%2Fcom.netapp.doc.dot-cm-vsmg%2FGUIDD4E85AB5-EEBB-44B4-A648-5B1B04FD5F85.html>

QUESTION 2

A disaster causes a FlexGroup volume to be unrecoverable, but it was protected by a SnapMirror relationship. You solve the issue, and the source is operational. Now, you want to return to serving the data from the original source.

In this scenario, what do you do next?

- A. Initialize the SnapMirror relationship.
- B. Restore data from a backup copy.
- C. Perform a SnapMirror update.
- D. Delete the SnapMirror relationship.

Correct Answer: A Section: (none)

Reference: <https://docs.netapp.com/ontap-9/index.jsp?topic=%2Fcom.netapp.doc.pow-fg-mgmt%2FGUID576192B0-18B8-40D3-AA3E-FC34415DC4F7.html>

QUESTION 3



Workload	ID	Latency	Network	Cluster	Data	Disk	QoS	NVRAM	Cloud
-total-		110.35ms	327.00us	327.00us	0ms				
110.02ms	0ms	0ms	0ms						
vs1vol0	111	167.82ms	603.00us	603.00us	0ms				
167.22ms	0ms	0ms	0ms						
vol1	1234	117.76ms	191.00us	191.00us	0ms				
117.56ms	0ms	0ms	0ms						
vol2	999	44.24ms	190.00us	190.00us	0ms	44.05ms	0ms	0ms	0ms
-total-									
38.89ms	256.00us	256.00us	0ms	38.63ms	0ms	0ms	0ms		
vol2	999	64.47ms	266.00us	266.00us	0ms	64.20ms	0ms	0ms	0ms
vol1	1234	27.28ms	253.00us	253.00us	0ms	27.03ms	0ms	0ms	0ms
vs1vol0	111	23.72ms	249.00us	249.00us	0ms	23.47ms	0ms	0ms	0ms
-total-		409.81ms	169.00us	169.00us	0ms				
409.65ms	0ms	0ms	0ms						
vol1	1234	816.92ms	120.00us	120.00us	0ms				
816.80ms	0ms	0ms	0ms						
vol2	999	407.88ms	219.00us	219.00us	0ms				
407.66ms	0ms	0ms	0ms						
vs1vol0	111	3.68ms	193.00us	193.00us	0ms	3.49ms	0ms	0ms	0ms

Referring to the exhibit, which two components should be examined? (Choose two.)

- A. cluster switches
- B. SAS adapter
- C. network interface card
- D. disk

Correct Answer: BD Section: (none)

QUESTION 4

For testing purposes, your customer decides to use FC on a single-node ONTAP cluster. There is only one host that the customer expects to use. High availability is not a concern for this test. The customer connects the host directly to the ONTAP node. The LUN is set up, and the igroup is configured. When the customer tries to attach to the LUN from the host, the LUN is not seen by the host.

Which statement is correct in this scenario?

- A. Multipathing must be used and connected to another FC path.
- B. NPV must be enabled on the host before trying to attach to the LUN.
- C. NPIV must be enabled on the host before trying to attach to the LUN.
- D. An FC switch must be used with ONTAP.

Correct Answer: B Section: (none)

QUESTION 5

Test user "LAB\tester" can perform an operation in the CIFS share "HR" from the SVM "svm1". However, the rest of the



users from the HR department cannot perform the same operation. You want to determine why only "LAB\tester" can perform the operation.

In this scenario, which security trace filter accomplishes this task?

- A. vserver security trace filter create -vserver svm1 -index 1 -protocol nfs -unix-name tester -trace-allow no
- B. vserver security trace filter create -vserver svm1 -index 1 -protocol cifs -windows- name LAB\tester trace-allow no
- C. vserver security trace filter create -vserver svm1 -index 1 -protocol cifs -windows- name LAB\tester trace-allow yes
- D. vserver security trace filter create -vserver svm1 -index 1 -protocol nfs -unix-name tester -trace-allow yes

Correct Answer: C Section: (none)

[NS0-194 Study Guide](#)

[NS0-194 Exam Questions](#)

[NS0-194 Braindumps](#)