



NS0-505^{Q&As}

NetApp Certified Implementation Engineer – SAN ESeries

Pass NetApp NS0-505 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/ns0-505.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by NetApp
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which feature under SANtricity 11.x which requires an activation key? (Choose the best answer.)

- A. Volume copy
- B. Snapshot copies
- C. Mirroring
- D. Drive Security

Correct Answer: C

QUESTION 2


What is the `base\` host connectivity provided by the E5500 Controller? (Choose the best answer.)

- A. IB
- B. SAS
- C. FC
- D. iSCSI
- E. None

Correct Answer: C

QUESTION 3

Review the diagram.



Is this cabling correct or incorrect, and why? (Choose the best answer.)

- A. The cabling is incorrect because the controllers are cabled from the host port.
- B. The cabling is incorrect because it uses the top-down bottom-up cabling method.
- C. The cabling is correct because it follows the recommended E-Series cabling method.
- D. The cabling is incorrect because they have been daisy-chained.

Correct Answer: D

QUESTION 4

What should you do to confirm a component failure prior to replacing hardware? (Choose the best answer.)

- A. Run the Recovery Guru
- B. Run chkdsk on the client



- C. Check the Major Events Log
- D. Power cycle the storage array

Correct Answer: A

QUESTION 5

What is the proper order to power-on E-Series arrays when a storage system has at least 2 trays? (Choose the best answer.)

- A. Power all expansion drive trays first, wait several minutes for the expansion drive trays to spin up, and then power on the controller drive tray
- B. Power on in any order, since the order does not matter
- C. Power up A-side power supplies first, then power up all B-side power supplies.
- D. Power on the controller drive tray first, then wait several minutes for the controller drive tray to spin up, and then power on all expansion drive trays

Correct Answer: D

[Latest NS0-505 Dumps](#)

[NS0-505 Practice Test](#)

[NS0-505 Exam Questions](#)