



# NS0-506<sup>Q&As</sup>

NetApp Certified Implementation Engineer - SAN, Clustered Data  
ONTAP

**Pass NetApp NS0-506 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/ns0-506.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by NetApp  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

Which two port personality combinations are valid for the onboard UTA2 ports on a FAS8040 controller?

- A. e0e/0e - fc e0f/0f - fc e0g/0g - cna e0h/0h -cna
- B. e0e/0e - fc e0f/0f - cna e0g/0g - fc e0h/0h -cna
- C. e0e/0e - fc e0f/0f - fc e0g/0g - fc e0h/0h -cna
- D. e0e/0e - cna e0f/0f -cna e0g/0g - fc e0h/0h - fc

Correct Answer: C

---

### QUESTION 2

You are creating a logical diagram for an FCP SAN solution.

You need to show connectivity between which three sets of components? (Choose three.)

- A. management port and ACP cabling
- B. inter-cluster network ports and hosts
- C. hosts and FCP switches
- D. hosts and FCoE switches
- E. FCP switches and storage controller

Correct Answer: BDE


---

### QUESTION 3

Click the Exhibit button.

Referring to the exhibit, which entry is appropriate to add to a zone on the FC switch?

Exhibit:



- A. 20:05:00:a0:98:29:18:76
- B. 20:10:00:a0:98:29:18:76
- C. 20:14:00:a0:98:29:18:76
- D. 50:10:00:a0:98:29:18:76

Correct Answer: A

#### QUESTION 4

Exhibit

```
cl01-01::>vol show -vserver svm1 volume v_iscsi_exch01 Vserver Name: svm1 Volume Name: v_iscsi_exch01  
Aggregate Name: a1_cl01_sas Volume Size: 5 GB Volume State: online Volume Type: RW Volume Style: flex Available  
Size: 4.75GB Filesystem Size: 5GB Total User-Visible Size:
```

```
4.75 GB Used Size: 144 KB Used Percentage: 5% Volume Nearly Full Threshold Percent: 95% Volume Full Threshold  
Percent: 98% Maximum Autosize (for flexvolvs only): 6GB (DEPRECATED) -Autosize Increment (for flexvolvs only):  
256MB Minimum Autosize: 5GB
```

```
Autosize Grow Threshold Percentage: 85% Autosize Shrink Threshold Percentage: 50% Autosize Mode: off Autosize  
Enabled (for flexvolvs only): false Space Guarantee Style: volume Space Guarantee in Effect: true Snapshot Directory  
Access Enabled: true Space Reserved for Snapshot Copies: 5% Snapshot Reserve Used: 0% Snapshot Policy: none  
Node name: cl01-01 Reserved Space for Overwrites: 0B Fractional Reserve: 100% Primary Space Management  
Strategy: volume_grow Total Physical Used Size: 144KB Physical Used Percentage: 0%
```

A customer has a volume with the configuration shown in the exhibit.

What will happen if the volume vs\_iscsi\_exch01 reaches 85% used?

- A. The volume will delete snapshots until 20% is free in the volume.
- B. The volume will automatically grow up to 6 GB.
- C. The volume will no longer be accessible from the host.



D. The volume will continue working as expected.

Correct Answer: D

---

### QUESTION 5

Exhibit

```
cl01::>iscsi portal show Logical Status CurrCurr Vserver Interface TPGT Admin/Oper IP Address Node Port Enabled
```

```
svm1 1-a 1035 up/up
```

```
192.168.1.66 cl01-01 e0a true svm1 1-b 1051 up/up
```

```
192.168.1.67 cl01-01 e0b true svm1 2-a 1046 up/down
```

```
192.168.1.68 cl01-02 e0a true svm1 2-b 1052 up/up
```

```
192.168.1.69 cl01-02 e0b true
```

Referring to the exhibit, which action would you take to troubleshoot the iscsi-2-a interface?

- A. Verify that the iSCSI protocol is licensed for svm1.
- B. Cycle the upstream switch port down and back up again.
- C. Verify network connectivity between the host and LIF.
- D. Verify that the iSCSI protocol is started on svm1.

Correct Answer: B

[Latest NS0-506 Dumps](#)

[NS0-506 Practice Test](#)

[NS0-506 Braindumps](#)