



NS0-506^{Q&As}

NetApp Certified Implementation Engineer - SAN, Clustered Data
ONTAP

Pass NetApp NS0-506 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/ns0-506.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by NetApp
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

A new server has been installed in your environment, but it is unable to see its NetApp boot LUN. You have narrowed the problem down to the zoning on your Cisco switch which has the following configuration:

```
zone name z_NetAppvsan 400 memberpwwn 20:00:00:25:b5:c0:ff:ee memberpwwn 50:0a:09:84:8d:7c:51:d5 zoneset name zs_NetAppvsan 400 memberz_NetApp zoneset activate name zs_NetAppvsan 400
```

What is the problem with your zoning configuration?

- A. The member does not reference the VSAN.
- B. The zone and zoneset names do not match.
- C. The zoneset was improperly activated.
- D. The PWWN for your NetApp LIF is incorrect.

Correct Answer: D

QUESTION 2

A company has 50 ESXi hosts connected using FC to a single target port on a NetApp cluster. Ten hosts are configured with an HBA queue depth on 128. Forty hosts are configured with a HBA queue depth of

32. They are experiencing performance problems with their FC LUNs. Which two actions will resolve the problem? (Choose two.)

- A. Use VSC to set recommended values for the hosts.
- B. Reduce the HBA queue depth on the on the applicable HBAs.
- C. Add additional target ports to allow for greater initiator distribution.
- D. Increase the total queue depth on the NetApp cluster.

Correct Answer: A

QUESTION 3

Which two port personality combinations are valid for the onboard UTA2 ports on a FAS8040 controller?

- A. e0e/0e - fc e0f/0f - fc e0g/0g - cna e0h/0h -cna
- B. e0e/0e - fc e0f/0f - cna e0g/0g - fc e0h/0h -cna
- C. e0e/0e - fc e0f/0f - fc e0g/0g - fc e0h/0h -cna
- D. e0e/0e - cna e0f/0f -cna e0g/0g - fc e0h/0h - fc

Correct Answer: C



QUESTION 4

A Windows 2012 Server has a 1 GB thin-provisioned LUN in a 10 GB thin-provisioned volume. After copying a 500 MB file to the LUN, you observe the LUN using 500 MB of space in the volume. After deleting the 500 MB file, you observe the LUN is still using 500 MB of space in the volume.

Which two steps are required to reclaim the space? (Choose two.)

- A. Press Optimize in the Windows Defragment and Optimize Drives utility.
- B. Enable space-allocation on the LUN.
- C. Run TRIM on the host.
- D. Empty the Recycle Bin on the host.

Correct Answer: C

QUESTION 5

Inside of an SVM, an iSCSI IP address is defined on which object?

- A. qtree
- B. LUN
- C. LIF
- D. node part

Correct Answer: B

[NS0-506 PDF Dumps](#)

[NS0-506 Practice Test](#)

[NS0-506 Study Guide](#)