



NS0-520^{Q&As}

NetApp Certified Implementation Engineer - SAN ONTAP

Pass NetApp NS0-520 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/ns0-520.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by NetApp
Official Exam Center


-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Exhibit.



You are moving volumes between aggregate aff_01_aggr1 and the aggregate Aggr_Data shown in the exhibit.

How much space will be moved?

- A. 11.17 TB
- B. 935.75 GB
- C. 296 KB



D. 1. 91 TB

Correct Answer: C

QUESTION 2

An administrator is configuring their Ethernet switches to support an AFF A300 cluster that will be providing iSCSI LUNs to servers. The switches are also used for other traffic from various hosts.

In this scenario, which statement about the switch configuration is correct?

- A. Use a larger MTU size at the SAN connection rather than the host connections to allow for greater SAN bandwidth.
- B. Use network ports as access ports only.
- C. Use multiple VLANs to segregate iSCSI traffic from other traffic types
- D. Use a single VLAN to consolidate all data traffic on the switches.

Correct Answer: A

QUESTION 3

Which tool collects configuration data from hosts and switches to assist in evaluating a qualified configuration?

- A. System Manager
- B. sysstat. command
- C. SnapCenter
- D. OneCollect

Correct Answer: D

QUESTION 4

Click the Exhibit button.



Question

Exhibit

```
Vserver Name: AFF_SAN_DEFAULT_SVM
  LUN Path: /vol/OraFinProd_oradata_OraFinProd_1/oradata_OraFinProd_1
  Volume Name: OraFinProd_oradata_OraFinProd_1
  Qtree Name: ""
  LUN Name: oradata_OraFinProd_1
  LUN Size: 2.50GB
  OS Type: linux
  Space Reservation: disabled
  Serial Number: 807Jd]I3aoSX
  Serial Number (Hex): 3830374a645d4933616f5358
  Comment:
Space Reservations Honored: false
  Space Allocation: disabled
  State: online
  LUN UUID: 6b328b3e-889e-4512-a62b-6e830a22861b
  Mapped: mapped
  Block Size: 512
  Device Legacy ID: -
  Device Binary ID: -
  Device Text ID: -
  Read Only: false
  Fenced Due to Restore: false
```

The LUN that is shown in the exhibit is mounted by a Windows 2016 server. In this scenario, which two statements are correct? (Choose two.)

- A. The LUN has misaligned I/O.
- B. The LUN has aligned I/O.
- C. The LUN's space is reserved.
- D. The LUN's space is not reserved.

Correct Answer: BD

QUESTION 5

You are planning for a new AFF A700 2-node switchless FC solution with two Cisco 9100 switches. Each AFF A700 will have one 16 Gb port connected to each Cisco 9100 switch and four FC LIKs per physical port. You want to guarantee recovery from connection loss on a NetApp physical port and you are using single initiator to multiple target zoning.

What is the minimum number of zones required to accomplish this task?

- A. 8
- B. 4
- C. 2
- D. 1

Correct Answer: C



VCE & PDF

GeekCert.com

<https://www.geekcert.com/ns0-520.html>

2024 Latest geekcert NS0-520 PDF and VCE dumps Download

[Latest NS0-520 Dumps](#)

[NS0-520 PDF Dumps](#)

[NS0-520 Braindumps](#)