VCE & PDF
GeekCert.com

NS0-527$^{Q\&As}$

NetApp Certified Implementation Engineer - Data Protect

Pass NetApp NS0-527 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.geekcert.com/ns0-527.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by NetApp
Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

QUESTION 1

Data on an AFF system is replicated using SnapMirror to aFAS system that is configured with NL-SAS-based storage. In this scenario, which storage efficiency is lost on the SnapMirror destination?

A. compaction

B. compression

C. aggregate-level deduplication

D. volume-level deduplication

Correct Answer: B

QUESTION 2

A client has a primary data center that is located in a coastal area where the forecast is calling for a Category 5 hurricane to make landfall in three days. The client\'s data is protected using NetApp SVM SnapMirror replication technology with identity-preserve that is enabled. The data is mirrored to a destination cluster outside of the affected area. The client has scheduled a controlled maintenance window for tomorrow to ensure that dependable operations are maintained.

Which three steps must be taken to accomplish this task? (Choose three.)

A. You must break the SnapMirror relationship on each individual volume between the source and the destination clusters.

B. You must configure the destination SVM volumes for data access.

C. You must reboot each server in your infrastructure so that they can access the data from the destination volumes.

D. You must break the SnapMirror relationship between the source and the destination SVMs.

E. You must stop the source SVM before activating the destination SVM.

Correct Answer: BDE

QUESTION 3

Your customer wants to implement SVM DR, but the customer is not certain whether theidentity-preserve parameter should be enabled. The customer explains that the source and destination clusters are in different network subnets. In this scenario, which SVM DR solution should the customer use?

A. SVM DR using the identity-preserve parameter disabled and the default SnapMirror policy.

B. SVM DR using the identity-preserve parameter enabled and then administratively take the data LIFs offline on the DR cluster.

C. SVM DR with the identity-preserve parameter enabled and a SnapMirror policy with the discard-configs network parameter.

D. SVM DR with the identity-preserve parameter enabled and the default SnapMirror policy.

Correct Answer: D

QUESTION 4

You are copying your data and replicating it off site. What is the called?

A. a backup

B. a demonstration

C. a version

D. a Snapshot

Correct Answer: A

QUESTION 5

Click the Exhibit button.

You are configuring cluster peering from cluster2 to cluster1 on your ONTAP 9.7 clusters using ONTAP System Manager. You are given the details shown below to set up the cluster peer relationship. You want to determine why the peering has failed.

Cluster2 intercluster LIFIP: 192.168.0.143 Subnet: 255.255.255.0 Port: e0e passphrase: netapp1234

Cluster1 intercluster LIF IP: 192.168.0.153 Subnet: 255.255.255.0 Port: e0e passphrase: netapp1234

Referring to the exhibit, which statement is correct?

A. The Source Cluster IP is incorrect.

B. The Target Cluster Passphrase is incorrect.

C. The Target Cluster IP is incorrect.

D. The Source Cluster Passphrase is incorrect.

Correct Answer: CD

NS0-527 VCE Dumps   NS0-527 Study Guide   NS0-527 Exam Questions