



# NS0-527<sup>Q&As</sup>

NetApp Certified Implementation Engineer - Data Protect

## Pass NetApp NS0-527 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/ns0-527.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by NetApp  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

Which attribute does Data ONTAP use to identify Snapshot copies between primary and secondary FlexVol volumes in a SnapVault relationship?

- A. FlexVol name
- B. Snapshot prefix
- C. SnapMirror policy
- D. SnapMirror label

Correct Answer: D

---

### QUESTION 2

Click the Exhibit button.



aff::> cluster peer ping

Node: aff-01 Destination Cluster: aff

Destination Node	IP Address	Count	TTL	RTT(ms)	Status
aff-01	10.193.67.58	1	64	0.053	interface_reachable
aff-01	192.168.89.100	1	64	0.061	interface_reachable
aff-02	10.193.67.60	1	64	0.173	interface_reachable
aff-02	192.168.89.101	1	64	0.428	interface_reachable

Node: aff-01 Destination Cluster: ontap9-tme-8040

Destination Node	IP Address	Count	TTL	RTT(ms)	Status
ontap9-tme-8040-01	192.168.90.200	1	63	0.602	interface_reachable
ontap9-tme-8040-02	192.168.90.201	1	63	0.584	interface_reachable

Node: aff-01 Destination Cluster: tme-ontap-prd

Destination Node	IP Address	Count	TTL	RTT(ms)	Status
tme-ontap-prd-01	10.193.67.21	1	64	0.174	interface_reachable
tme-ontap-prd-02	10.193.67.22	1	64	0.17	interface_reachable

Node: aff-02 Destination Cluster: aff

Destination Node	IP Address	Count	TTL	RTT(ms)	Status
aff-01	10.193.67.58	1	64	0.178	interface_reachable
aff-01	192.168.89.100	1	64	0.188	interface_reachable
aff-02	10.193.67.60	1	64	0.054	interface_reachable
aff-02	192.168.89.101	1	64	0.057	interface_reachable

Node: aff-02 Destination Cluster: ontap9-tme-8040

Destination Node	IP Address	Count	TTL	RTT(ms)	Status
ontap9-tme-8040-01	192.168.90.200	1	63	0.569	interface_reachable
ontap9-tme-8040-02	192.168.90.201	1	63	0.627	interface_reachable

Node: aff-02 Destination Cluster: tme-ontap-prd

Destination Node	IP Address	Count	TTL	RTT(ms)	Status
tme-ontap-prd-01	10.193.67.21	1	64	0.179	interface_reachable
tme-ontap-prd-02	10.193.67.22	1	64	0.177	interface_reachable

16 entries were displayed.

You are asked to set up aSnapMirror relationship to protect some Oracle DB volumes on both nodes of the aff-01 and aff-02 clusters. You are using the 1 Gb network and the other nodes all have free space to support the mirror. Referring to the exhibit, which two nodes would provide the least network transfer time for the relationship? (Choose two.)

A. aff-01 to tme-ontap-prd-01



- B. aff-02 to tme-ontap-prd-02
- C. aff-02 to ontap9-tme-8040-02
- D. aff-02 to ontap9-tme-8040-01

Correct Answer: BC

---

### QUESTION 3

You are performing a routine health check for a customer and need to determine if the disk shelf firmware is up to date. From My AutoSupport, which report would you use?

- A. Transition Advisor
- B. Visualization
- C. Upgrade Advisor
- D. Event Viewer

Correct Answer: B

---

### QUESTION 4

You noticed that your SnapVault relationship is healthy but that the destination volume does not have any Snapshot copies. In this scenario, what should be performed to solve the problem?

- A. Set up volume destination free space.
- B. Set up volume source free space.
- C. Use the snapvault update command.
- D. Configure a rule with the Snapshot label.

Correct Answer: C

---

### QUESTION 5

Click the Exhibit button.



Machine	Storage type
Physical server	FC-connected LUNs
	iSCSI-connected LUNs
	NFS-connected volumes
VMware ESX	RDM LUNs connected by an FC or iSCSI ESXi HBA
	iSCSI LUNs connected directly to the guest system by the iSCSI initiator
	VDMKs on VMFS or NFS datastores
	NFS volumes connected directly to the guest system

A customer is interested in using SnapCenter to support Snapshot copies with their Oracle DB. They virtualized their environment but do not have any block protocols available. In this solution, which protocol shown in the exhibit is supported?

- A. NFS
- B. SMB3
- C. iSCSI
- D. FC

Correct Answer: A

[NS0-527 PDF Dumps](#)

[NS0-527 Study Guide](#)

[NS0-527 Exam Questions](#)