



NS0-527^{Q&As}

NetApp Certified Implementation Engineer - Data Protect

Pass NetApp NS0-527 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/ns0-527.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by NetApp
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

You have deployed a 4-node fabric MetroCluster configuration for cross-site disaster- recovery protection. In this scenario, which two statements are correct for an automatic unplanned switchover (AUSO) operation? (Choose two.)

- A. AUSO is triggered in the event of a site-wide controller failure to provide nondisruptive operations.
- B. AUSO is triggered in the event of a complete site-wide failure to provide nondisruptive operations.
- C. AUSO is triggered in the event of a site-wide switch failure to provide nondisruptive operations.
- D. AUSO is enabled by default on a MetroCluster cluster.

Correct Answer: AD

QUESTION 2

You received an alert from OnCommand Unified Manager (OCUM) that a NetApp FlexVol is almost out of space. Which three actions are available to perform from the OCUM events detail Web page? (Choose three.)

- A. Acknowledge the event.
- B. Mark the event as "resolved".
- C. Create a job to move the FlexVol.
- D. Increase the capacity of the FlexVol.
- E. Add a note to the event.

Correct Answer: ABE

QUESTION 3

An ONTAP administrator is trying to configure a three-way-disaster recovery solution. Cluster 2 is within 50 km of Cluster 1, the primarycluster, with an RTT of 7 ms. Cluster 3 is over 300 km from Cluster 1 with an RTT of 29 ms. In this scenario, what are two topologies that would accomplish this task? (Choose two.)

- A. a cascade topology from Cluster 1 to Cluster 2 with SnapMirror Synchronous, and then SnapMirror asynchronous from Cluster 2 to Cluster 3
- B. a fan out topology with SnapMirror Synchronous from Cluster 1 to Cluster 2 and SnapMirror Synchronous to Cluster 3
- C. a fan out topology with SnapMirror Synchronous from Cluster 1 to Cluster 2 and SnapMirror asynchronous from Cluster 1 to Cluster 3



D. a cascade topology from Cluster 1 to Cluster 2 with SnapMirror Synchronous, and then SnapMirror Synchronous from Cluster 2 to Cluster 3

Correct Answer: AC

QUESTION 4

A customer wants a new solution that reaches a near-zero recovery time objective (RTO) and a zero recovery point objective (RPO). In this scenario, which NetApp solution satisfies the requirements?

- A. NDMP
- B. MetroCluster
- C. SnapMirror
- D. SnapVault

Correct Answer: C

Reference: <https://blog.netapp.com/effective-disaster-recovery-solution>

QUESTION 5

During NDMP incremental backups, you want to reduce the time spent finding the changed data between two Snapshot copies. In this scenario, which ONTAP feature will accomplish this task?

- A. compaction
- B. deduplication
- C. SnapDiff
- D. SnapLock

Correct Answer: C

Reference: <https://www.rubrik.com/en/blog/products-solutions/20/1/nas-backup-rpo- changelist-snapshots>

[NS0-527 PDF Dumps](#)

[NS0-527 Practice Test](#)

[NS0-527 Study Guide](#)