



# NSE4\_FGT-5.6<sup>Q&As</sup>

Fortinet NSE 4 - FortiOS 5.6

## Pass Fortinet NSE4\_FGT-5.6 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

[https://www.geekcert.com/nse4\\_fgt-5-6.html](https://www.geekcert.com/nse4_fgt-5-6.html)

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

Why must you use aggressive mode when a local FortiGate IPsec gateway hosts multiple dialup tunnels? Response:

- A. The FortiGate is able to handle NATed connections only with aggressive mode.
- B. FortiClient supports aggressive mode.
- C. The remote peers are able to provide their peer IDs in the first message with aggressive mode.
- D. Main mode does not support XAuth for user authentication.

Correct Answer: C

### QUESTION 2

Which of the following are IP pool types supported by FortiGate?

(Choose three.)

Response:

- A. Overload
- B. One-to-One
- C. Transparent
- D. Outgoing interface
- E. Port block allocation

Correct Answer: ABC

### QUESTION 3

An administrator has enabled the DHCP Server on the port1 interface and configured the following based on the exhibit.

MAC Address	Action or IP	Description
00:0c:29:29:38:da	10.0.1.254	
Unknown MAC Addresses	Block	

Type:  Regular  IPsec



Which statement is correct based on this configuration? Response:

- A. The MAC address 00:0c:29:29:38:da belongs to the port1 interface.
- B. Access to the network is blocked for the devices with the MAC address 00:0c:29:29:38:da and the IP address 10.0.1.254.
- C. 00:0c:29:29:38:da is the virtual MAC address assigned to the secondary IP address (10.0.1.254) of the port1 interface.
- D. The IP address 10.0.1.254 is reserves for the device with the MAC address 00:0c:29:29:38:da.

Correct Answer: D

#### QUESTION 4

Examine this output from a debug flow:

```
id=2 line=4677 msg="vd-root received a packet (proto=6, 66.171.121.44:80 - >10.200.1.1:49886) from port1. flag [S.], seq 3567496940, ack 2176715502, win 5840"  
id=2 line=4739 msg="Find an existing session, id=00007fc0, reply direction"  
id=2 line=2733 msg="DNAT 10.200.1.1:49886 - > 10.0.1.10:49886"  
id=2 line=2582 msg="find a route: flag=00000000 gw=10.0.1.10 via port3"
```

Which statements about the output are correct?

(Choose two.)

Response:

- A. FortiGate received a TCP SYN/ACK packet.
- B. The source IP address of the packet was translated to 10.0.1.10.
- C. FortiGate routed the packet through port 3.
- D. The packet was allowed by the firewall policy with the ID 00007fc0.

Correct Answer: BC

#### QUESTION 5

A FortiGate interface is configured with the following commands:



```
config system interface
edit "port1"
config ipv6
set ip6-address 2001:db8:1::254/64
set ip6-send-adv enable
config ip6-prefix-list
edit 2001:db8:1::/64
set autonomous-flag enable
set onlink-flag enable
end
```

What statements about the configuration are correct?

(Choose two.)

Response:

- A. IPv6 clients connected to port1 can use SLAAC to generate their IPv6 addresses.
- B. FortiGate can provide DNS settings to IPv6 clients.
- C. FortiGate can send IPv6 router advertisements (RAs.)
- D. FortiGate can provide IPv6 addresses to DHCPv6 client.

Correct Answer: AC

[Latest NSE4\\_FGT-5.6 Dumps](#)

[NSE4\\_FGT-5.6 PDF Dumps](#) [NSE4\\_FGT-5.6 VCE Dumps](#)