



NSE4_FGT-6.0^{Q&As}

Fortinet NSE 4 - FortiOS 6.0

Pass Fortinet NSE4_FGT-6.0 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.geekcert.com/nse4_fgt-6-0.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

An administrator has configured a dialup IPsec VPN with XAuth. Which statement best describes what occurs during this scenario?

- A. Phase 1 negotiations will skip preshared key exchange.
- B. Only digital certificates will be accepted as an authentication method in phase 1.C
- C. Dialup clients must provide a username and password for authentication.
- D. Dialup clients must provide their local ID during phase 2 negotiations.

Correct Answer: C

QUESTION 2

When override is enabled, which of the following shows the process and selection criteria that are used to elect the primary FortiGate in an HA cluster?

- A. Connected monitored ports > HA uptime > priority > serial number
- B. Priority > Connected monitored ports > HA uptime > serial number
- C. Connected monitored ports > priority > HA uptime > serial number
- D. HA uptime > priority > Connected monitored ports > serial number

Correct Answer: C

QUESTION 3

What is the limitation of using a URL list and application control on the same firewall policy, in NGFW policy-based mode?

- A. It limits the scope of application control to the browser-based technology category only.
- B. It limits the scope of application control to scan application traffic based on application category only.
- C. It limits the scope of application control to scan application traffic using parent signatures only
- D. It limits the scope of application control to scan application traffic on DNS protocol only.

Correct Answer: B

QUESTION 4

Which of the following are purposes of NAT traversal in IPsec? (Choose two.)



- A. To detect intermediary NAT devices in the tunnel path.
- B. To dynamically change phase 1 negotiation mode aggressive mode.
- C. To encapsulation ESP packets in UDP packets using port 4500.
- D. To force a new DH exchange with each phase 2 rekey.

Correct Answer: AC

QUESTION 5

Examine this output from a debug flow: Which statements about the output are correct? (Choose two.)

```
id=2 line=4677 msg= "vd-root received a packet (photo =6, 66.171.121.44:80->10.200.1.1:49886) from port1. flag [S.], seq 3567496940, ack 2176715502, win 5840"
id=2 line= 4739 msg= "Find an existing session, id=00007fc0, reply direction"
id=2 line= 2733 msg= "DNAT 10.200.1.1:49886->10.0.1.10:49886"
id=2 line=2582 msg= "find a route: flag= 00000000 gw=10.0.1.10 via port3"
```

- A. FortiGate received a TCP SYN/ACK packet.
- B. The source IP address of the packet was translated to 10.0.1.10.
- C. FortiGate routed the packet through port 3.
- D. The packet was allowed by the firewall policy with the ID 00007fc0.

Correct Answer: AC

[NSE4_FGT-6.0 Practice Test](#)

[NSE4_FGT-6.0 Exam Questions](#)

[NSE4_FGT-6.0 Braindumps](#)