



# NSE4\_FGT-6.0<sup>Q&As</sup>

Fortinet NSE 4 - FortiOS 6.0

## Pass Fortinet NSE4\_FGT-6.0 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

[https://www.geekcert.com/nse4\\_fgt-6-0.html](https://www.geekcert.com/nse4_fgt-6-0.html)

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet  
Official Exam Center


- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





## QUESTION 1

Examine the network diagram and the existing FGT1 routing table shown in the exhibit, and then answer the following question:



An administrator has added the following static route on FGT1.

New Static Route

Destination	Subnet	Named Address	Internet Service
	172.20.1.0/24		
Gateway	172.11.12.1		
Interface	port1		
Administrative Distance	10		
Comments			0/255
Status	Enabled	Disabled	

Advanced Options

Priority 0

Since the change, the new static route is not showing up in the routing table. Given the information provided, which of the following describes the cause of this problem?

- A. The new route's destination subnet overlaps an existing route.
- B. The new route's Distance value should be higher than 10.
- C. The Gateway IP address is not in the same subnet as port1.



D. The Priority is 0, which means that this route will remain inactive.

Correct Answer: C

## QUESTION 2

A FortiGate is operating in NAT mode and configured with two virtual LAN (VLAN) sub interfaces added to the physical interface. Which statements about the VLAN sub interfaces can have the same VLAN ID, only if they have IP addresses in different subnets.

- A. The two VLAN sub interfaces can have the same VLAN ID, only if they have IP addresses in different subnets.
- B. The two VLAN sub interfaces must have different VLAN IDs.
- C. The two VLAN sub interfaces can have the same VLAN ID, only if they belong to different VDOMs.
- D. The two VLAN sub interfaces can have the same VLAN ID, only if they have IP addresses in the same subnet.

Correct Answer: B

## QUESTION 3

Which of the following route attributes must be equal for static routes to be eligible for equal cost multipath (ECMP) routing? (Choose two.)

- A. Priority
- B. Metric
- C. Distance
- D. Cost

Correct Answer: AC

## QUESTION 4

An administrator has configured a dialup IPsec VPN with XAuth. Which statement best describes what occurs during this scenario?

- A. Phase 1 negotiations will skip preshared key exchange.
- B. Only digital certificates will be accepted as an authentication method in phase 1.C
- C. Dialup clients must provide a username and password for authentication.
- D. Dialup clients must provide their local ID during phase 2 negotiations.

Correct Answer: C



### QUESTION 5

What files are sent to FortiSandbox for inspection in flow-based inspection mode?

- A. All suspicious files that do not have their hash value in the FortiGuard antivirus signature database.
- B. All suspicious files that are above the defined oversize limit value in the protocol options.
- C. All suspicious files that match patterns defined in the antivirus profile.
- D. All suspicious files that are allowed to be submitted to FortiSandbox in the antivirus profile.

Correct Answer: C

[Latest NSE4\\_FGT-6.0 Dumps](#)

[NSE4\\_FGT-6.0 VCE Dumps](#) [NSE4\\_FGT-6.0 Braindumps](#)