



NSE4_FGT-6.2^{Q&As}

Fortinet NSE 4 - FortiOS 6.2

Pass Fortinet NSE4_FGT-6.2 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.geekcert.com/nse4_fgt-6-2.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

What types of traffic and attacks can be blocked by a web application firewall (WAF) profile? (Choose three.)

- A. Traffic to botnetservers
- B. Traffic to inappropriate web sites
- C. Server information disclosure attacks
- D. Credit card data leaks
- E. SQL injection attacks

Correct Answer: ACE

QUESTION 2

How do you format the FortiGate flash disk?

- A. Load a debug FortiOS image.
- B. Load the hardware test (HQIP) image.
- C. Execute the CLI command execute formatlogdisk.
- D. Select the format boot device option from the BIOS menu.

Correct Answer: D

QUESTION 3

Which Statements about virtual domains (VDMs) are true? (Choose two.)

- A. Transparent mode and NAT/Route mode VDMs cannot be combined on the same FortiGate.
- B. Each VDM can be configured with different system hostnames.
- C. Different VLAN sub-interface of the same physical interface can be assigned to different VDMs.
- D. Each VDM has its own routing table.

Correct Answer: CD

QUESTION 4

Which of the following statements about converse mode are true? (Choose two.)

- A. FortiGate stops sending files to FortiSandbox for inspection.



- B. FortiGate stops doing RPF checks over incoming packets.
- C. Administrators cannot change the configuration.
- D. Administrators can access the FortiGate only through the console port.

Correct Answer: AC

QUESTION 5

An administrator wants to block HTTP uploads. Examine the exhibit, which contains the proxy address created for that purpose.

Edit Address

Category	Address Proxy Address
Name	<input type="text" value="Training"/>
Color	<input type="button" value="Change"/>
Type	<input style="border-bottom: 1px solid #ccc;" type="text" value="HTTP Method"/>
Host	<input style="border-bottom: 1px solid #ccc;" type="text" value="all"/>
Request Method	<div style="border: 1px solid #ccc; padding: 2px;"><div style="border-bottom: 1px solid #ccc; padding: 2px;">GET</div><div style="border-bottom: 1px solid #ccc; padding: 2px;">HEAD</div><div style="border-bottom: 1px solid #ccc; padding: 2px;">OPTIONS</div><div style="border-bottom: 1px solid #ccc; padding: 2px; border: 2px solid #00aaff;">POST</div></div>
Show in Address List	<input checked="" type="checkbox"/>
Comments	<input type="text" value=""/> <small>0/255</small>

Tags

Where must the proxy address be used?

- A. As the source in a firewall policy.
- B. As the source in a proxy policy.
- C. As the destination in a firewall policy.
- D. As the destination in a proxy policy.



Correct Answer: B

[Latest NSE4_FGT-6.2 Dumps](#)

[NSE4_FGT-6.2 VCE Dumps](#)

[NSE4_FGT-6.2 Exam Questions](#)