



# NSE4\_FGT-6.2<sup>Q&As</sup>

Fortinet NSE 4 - FortiOS 6.2

## Pass Fortinet NSE4\_FGT-6.2 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

[https://www.geekcert.com/nse4\\_fgt-6-2.html](https://www.geekcert.com/nse4_fgt-6-2.html)

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

An administrator has configured a dialup IPsec VPN with XAuth. Which statement best describes what occurs during this scenario?

- A. Phase 1 negotiations will skip preshared key exchange.
- B. Only digital certificates will be accepted as an authentication method in phase 1.C
- C. Dialup clients must provide a username and password for authentication.
- D. Dialup clients must provide their local ID during phase 2 negotiations.

Correct Answer: C

---

### QUESTION 2

An administration wants to throttle the total volume of SMTP sessions to their email server. Which of the following DoS sensors can be used to achieve this?

- A. tcp\_port\_scan
- B. ip\_dst\_session
- C. udp\_flood
- D. ip\_src\_session

Correct Answer: A

---

### QUESTION 3

The FSSO collector agent set to advanced access mode for the Windows Active Directory uses which convention?

- A. LDAP
- B. Windows
- C. RSSO
- D. NTLM

Correct Answer: A

---

### QUESTION 4

Which of the following statements are true when using WPAD with the DHCP discovery method? (Choose two.)

- A. If the DHCP method fails, browsers will try the DNS method.



- B. The browser needs to be preconfigured with the DHCP server's IP address.
- C. The browser sends a DHCPINFORM request to the DHCP server.
- D. The DHCP server provides the PAC file for download.

Correct Answer: AC

## QUESTION 5

Examine the routing database shown in the exhibit, and then answer the following question:

```
FGT1 # get router info routing-table database
Codes: K - kernel, C - connected, S - static, R - RIP, B - BGP
O - OSPF, IA - OSPF inter area
N1 - OSPF NSSA external type 1, N2 - OSPF NSSA external type 2
E1 - OSPF external type 1, E2 - OSPF external type 2
i - IS-IS, L1 - IS-IS level-1, L2 - IS-IS level-2, ia - IS-IS inter area
> - selected route, * - FIB route, p - stale info

S   *> 0.0.0.0/0 [10/0] via 172.20.121.2, port1, [20/0]
    *>                [10/0] via 10.0.0.2, port2, [30/0]
S   0.0.0.0/0 [20/0] via 192.168.15.2, port3, [10/0]
C   *> 10.0.0.0/24 is directly connected, port2
S   172.13.24.0/24 [10/0] is directly connected, port4
C   *> 172.20.121.0/24 is directly connected, port1
S   *> 192.167.1.0/24 [10/0] via 10.0.0.2, port2
C   *> 192.168.15.0/24 is directly connected, port3
```

Which of the following statements are correct? (Choose two.)

- A. The port3 default route has the highest distance.
- B. The port3 default route has the lowest metric.
- C. There will be eight routes active in the routing table.
- D. The port1 and port2 default routes are active in the routing table.

Correct Answer: AD

[NSE4\\_FGT-6.2 Study Guide](#)

[NSE4\\_FGT-6.2 Exam Questions](#)

[NSE4\\_FGT-6.2 Braindumps](#)