



NSE5_FMG-6.2^{Q&As}

Fortinet NSE 5 - FortiManager 6.2

Pass Fortinet NSE5_FMG-6.2 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.geekcert.com/nse5_fmg-6-2.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

As a result of enabling FortiAnalyzer features on FortiManager, which of the following statements is true?

- A. FortiManager will reboot
- B. FortiManager will send the logging configuration to the managed devices so the managed devices will start sending logs to FortiManager
- C. FortiManager will enable ADOMs automatically to collect logs from non-FortiGate devices
- D. FortiManager can be used only as a logging device.

Correct Answer: A

QUESTION 2

View the following exhibit.



The screenshot shows the FortiManager GUI. In the 'Device Manager' section, under 'Device & Groups', there are 4 devices listed: Local-FortiGate, Remote-FortiGate, root [NAT] (Management), Student[NAT], and Trainer [NAT]. A box labeled 'Managed FortiGate devices' points to the first two. In the 'Policy Packages' section, under 'Policy Packages', there are 4 packages: Installation Target, Remote-FortiGate, root [NAT][Management], Student[NAT], and Local-PortiGate. A box labeled 'Installation targets' points to the first one. In the 'Object Configuration' section, under 'Policy Package', there are 3 packages: Shared Package, IPv4 Policy, and Installation Targets. A box labeled 'Policy Package' points to the first one. The 'Installation Targets' package is selected, and its configuration is shown in the 'Interface Pair View' tab. The table below shows the configuration for the 'Installation Targets' package.

Seq.#	Install On	Name	From	To
1	Remote-FortiGate(Student)	Ping_Access	port3	port1
2	Local-FortiGate(root)	Web	port3	port1
3	Installation Targets	Source_Device	port3	port1

Which one of the following statements is true regarding installation targets in use Install On column?

- A. The Install On column value represents successful installation on the managed devices
- B. Policy seq=3 will be installed on all managed devices and VDOMs that are listed under Installation Targets
- C. Policy seq=3 will be installed on the Trainer[NAT] VDOM only
- D. Policy seq=3 will be not installed on any managed device

Correct Answer: B

QUESTION 3

An administrator would like to create an SD-WAN default static route for a newly created SD-WAN using the FortiManager GUI. Both port1 and port2 are part of the SD-WAN member interfaces. Which interface must the administrator select in the static route device drop-down list?

- A. port2



- B. virtual-wan-link
- C. port1
- D. auto-discovery

Correct Answer: B

QUESTION 4

Which two statements regarding device management on FortiManager are true? (Choose two.)

- A. FortiGate devices in HA cluster devices are counted as a single device.
- B. FortiGate in transparent mode configurations are not counted toward the device count on FortiManager.
- C. FortiGate devices in an HA cluster that has five VDOMs are counted as five separate devices.
- D. The maximum number of managed devices for each ADOM is 500.

Correct Answer: AC

QUESTION 5

View the following exhibit.



Edit Address

Address Name

Training

Type

IP/Netmask

IP/Network

192.168.1.0/255.255.255.255.0

Interface

any

Static Route Configuration

OFF

Comments

0/255

Add to Groups

Click to add

Advanced Options >

Per-Device Mapping

ON

+ Add  Edit  Delete

<input type="checkbox"/>	Name	VDOM	Details
<input type="checkbox"/>	Local-FortiGate	root	IP/Netmask10.0.10/255.255.255.0

An administrator has created a firewall address object, Training, which is used in the Local-FortiGate policy package. When the install operation is performed, which IP Netmask will be installed on the Local-FortiGate, for the Training firewall address object?

- A. 10.0.1.0/24
- B. It will create firewall address group on Local-FortiGate with 192.168.0.1/24 and 10.0.1.0/24 object values
- C. 192.168.0.1/24



D. Local-FortiGate will automatically choose an IP Network based on its network interface settings.

Correct Answer: A

[Latest NSE5_FMG-6.2
Dumps](#)

[NSE5_FMG-6.2 VCE
Dumps](#)

[NSE5_FMG-6.2 Practice
Test](#)