

NSE6_FAD-6.2^{Q&As}

Fortinet NSE 6 - FortiADC 6.2

Pass Fortinet NSE6_FAD-6.2 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.geekcert.com/nse6_fad-6-2.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet Official Exam Center

Instant Download After Purchase

- 100% Money Back Guarantee
- 😳 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1

Refer to the exhibits.

Setting		Advanced	The second s
Cluster Mode	Standalone Active-Passive Active-Active Active-VRRF	P Priority	5 Default: S Range: 0-9
Basic		Override	2
Challer		Heartbeat Interval	Default: 2 Range: 1-20 intervals (100 millisecond
Group Name			6
c	2	Lost Heartbeat Threshold	
Group ID	Default: 0 Range: 0-31		5 Default: 5 Range: 1-60 times
Config Priority	100	ARPTimes	
Conng Priority	Default: 100 Range: 0-255	ARP Interval	6 Default: 6 Range: 1-20 seconds
Monitor Interfa			()
	+ · · · · · · · · · · · · · · · · · · ·	Remote IP Monitor	
Heartbeat Inter	face porte		
	port1 × +		
Data Interface			
Uaw -			
Uau		ADC-2	
Setting	Forti	Advanced	
Setting	Forti	Advanced 2	ult: 5 Banse: 0-9
Setting		Advanced 2 Priority Def	ult S Range: 0-9
Setting	Forti	Advanced 2 Priority Defu Override	
Setting Cluster Mode S Basic	tandalone Active-Passive Active-Active Active-VRRP	Advanced 2 Priority Defu Override	
Setting Cluster Mode S	tandalone Active-Passive Active-Active Active-VRRP Cluster	Advanced 2 Priority Defi Override 2 Heartbeat Interval D	Hault: 2 Range: 1-20 intervals (100 milliseconds pen 6
Setting Cluster Mode S Basic Group Name	tandalone Active-Passive Active-Active Active-VRRP Cluster 2	Advanced 2 Priority Defi Override 2 Heartbeat Interval D	Hault: 2 Range: 1-20 intervals (100 milliseconts per 6 Default: 6 Range: 1-60 retries
Setting Cluster Mode S Basic	tandalone Active-Passive Active-Active Active-Active-VRRP Cluster 2 Default: 0 Range: 0-31	Advanced 2 Priority Defe Override 2 Heartbeat Interval Defe Lost Heartbeat Threshold 2	Hault: 2 Range: 1-20 Intervals (100 milliseconds per) 6 befault: 6 Range: 1-60 retries 5
Setting Cluster Mode S Basic Group Name Group ID	tandalone Active-Passive Active-Active Active-VRRP Cluster 2 Default: 0 Range: 0-31 100	Advanced 2 Priority Defe Override 2 Heartbeat Interval Defe Lost Heartbeat Threshold 2	Hault: 2 Range: 1-20 intervals (100 milliseconds per) 6 befault: 6 Range: 1-60 retries 5 Default: 5 Range: 1-60 smes 6
Setting Cluster Mode S Basic Group Name Group ID Config Priority	tandalone Active-Passive Active-Active Active-VRRP Cluster 2 Default: 0 Range: 0-31 100 Default: 100 Range: 0-255	Advanced 2 Priority Defe Override 2 Heartbeat Interval Defe Lost Heartbeat Threshold 2	Hault: 2 Range: 1-20 Intervals (100 milliseconts per) 6 Default: 6 Range: 1-60 retries 5 Default: 5 Range: 1-60 binks
Setting Cluster Mode S Basic Group Name Group ID	tandalone Active Passive Active Active Active-VRRP Cluster 2 Default: 0 Range: 0-31 100 Default: 100 Range: 0-255	Advanced Priority 2 Override 2 Heartbeat Interval 2 Lost Heartbeat Threshold 3 ARP Times	Hault: 2 Range: 1-20 intervals (100 milliseconds per) 6 befault: 6 Range: 1-60 retries 5 Default: 5 Range: 1-60 smes 6

Which show the HA configurations for two FortiADC devices

If both FortiADC devices are operational, which FortiADC is the active device in the cluster?

- A. The FortiADC with the highest HA uptime value
- B. The FortiADC with the highest sorting serial number
- C. FortiADC-1
- D. FortiADC-2

Correct Answer: D



QUESTION 2

Which two statements about Layer 7 application delivery control are true? (Choose two.)

- A. It provides more intelligent traffic distribution decisions
- B. It provides the fastest traffic processing
- C. It supports only IPv4
- D. It requires more packets to make a decision

Correct Answer: AD

QUESTION 3

An administrator has configured all the back end servers with a maximum warm-up state rate.

Under which two conditions is the maximum rate enforced by FortiADC? (Choose two.)

A. As long as a server keeps replying to the health Check

B. When multiple health check methods have been configured for a server and some of them are failing but at least one is up.

C. When the status of a server is set to Enabled from Maintain of Disabled

D. During a warm-up period, when a server is back online after a health check downtime

Correct Answer: CD

QUESTION 4

Which two statements about virtual tunneling for outbound link load balancing are true? (Choose two.)

- A. Link policies are used to specify which traffic is sent through each virtual tunnel.
- B. Each virtual tunnel can contain no more than three IP tunnel.
- C. Two dispatch algorithms are supported weighted round robin and source destination hash.
- D. A virtual tunnel can combine point to point and multipoint IP tunnels.

Correct Answer: AC

QUESTION 5

To which two objects can link policies apply in FortiADC? (Choose two.)



- A. Virtual tunnel
- B. Virtual server
- C. Gateway
- D. Link group
- Correct Answer: AD

Latest NSE6 FAD-6.2 NSE6 FAD-6.2 PDF Dumps NSE6 FAD-6.2 Practice **Dumps**

Test