

NSE6_FML-6.0^{Q&As}

Fortinet NSE 6 - FortiMail 6.0

Pass Fortinet NSE6_FML-6.0 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.geekcert.com/nse6_fml-6-0.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet Official Exam Center

Instant Download After Purchase

- 100% Money Back Guarantee
- 😳 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1

While reviewing logs, an administrator discovered that an incoming email was processed using policy IDs:

0:4:9.

Which of the following statements are true? (Choose two.)

Α.

FortiMail applied the default behavior for relaying inbound email

В.

FortiMail configuration is missing an access delivery rule to process incoming email

C.

Incoming recipient policy ID 9 has the exclusive flag set

D.

Email was processed using IP policy ID 4

Correct Answer: AC

QUESTION 2

Examine the access receive rule shown in the exhibit; then answer the question below.



FortiMail

nabled	2		
ender pattern:	User Defined	*	
	*@example.com		Regular expression
Recpient pattern:	User Defined	*	
	*		Regular expression
Sender IP/netmask:	User Defined	~	
	10.0.1.100		/ 32
everse DNS attern:	*		Regular expression
Authentication tatus:	Any	~	
LS profile:	None	*	New Edit
Action:	Relay	~	
Comments:			

Which of the following statements are true? (Choose two.)

A. Email from any host in the 10.0.1.0/24 subnet can match this rule

- B. Senders must be authenticated to match this rule
- C. Email matching this rule will be relayed
- D. Email must originate from an example.com email address to match this rule

Correct Answer: CD

QUESTION 3

Which of the following statements are true regarding FortiMail\\'s behavior when using the built-in MTA to process email in transparent mode? (Choose two.)

- A. FortiMail can queue undeliverable messages and generate DSNs
- B. If you disable the built-in MTA, FortiMail will use its transparent proxies to deliver email
- C. FortiMail ignores the destination set by the sender and uses its own MX record lookup to deliver email



D. MUAs need to be configured to connect to the built-in MTA to send email

Correct Answer: BC

QUESTION 4

Which of the following CLI commands, if executed, will erase all data on the log disk partition? (Choose two.)

- A. execute formatmaildisk
- B. execute formatmaildisk_backup
- C. execute formatlogdisk
- D. execute partitionlogdisk 40


Correct Answer: CD

QUESTION 5

Examine the FortiMail topology and access receive rule shown in the exhibit; then answer the question below.



Protected Domain: example.com



FortiMail

Access Control Rule Enabled 1 Sender pattern: User Defined × * Regular expression Recipient pattern: User Defined Y Regular expression * Sender User Defined v IP/netmask: 0.0.0.0 0 Reverse DNS * **Regular** expression pattern: Authentication Any ¥ status: TLS profile: --None--Y New... Edit ... Action: Reject Y Comments: Create Cancel

An administrator must enforce authentication on FML-1 for all outbound email from the example.com domain. Which of the following settings should be used to configure the access receive rule? (Choose two.)

A. The Sender IP/netmask should be set to 10.29.1.0/24

B. The Authentication status should be set to Authenticated



- C. The Recipient pattern should be set o *@example.com
- D. The Action should be set to Reject

Correct Answer: CD

Latest NSE6 FML-6.0 Dumps NSE6_FML-6.0 Practice NSE6_FML-6.0 Study Guide Test